

PRODUCT CATALOGUE

Prosthetic **COMPONENTS**



Avinent has a wide range of prosthetic accessories, totally versatile high-precision components, compatible with most brands on the market and offering an unbeatable fit. This new line brings new solutions to the market and is designed to facilitate the task of dental professionals.

INDEX

Quality is manufactured	4
Support from start to finish	5
Highlights	6
Technical index	12
Prosthetic components	16
Accessories	76
Torque table	78

Quality is manufactured

Avinent has demonstrated throughout its history that it demands the maximum rigor and quality guarantee in creation and production of each of its solutions. Thanks to this dedication of everything the human team, the year 2020 was one of the first companies to European level and the first at the Spanish level to receive the certificate according to the new European regulation of medical devices (Medical Device Regulation – MDR). This new regulation is characterized by being much stricter than the previous Directive with the main objective of guaranteeing patient safety.

The entire team of professionals that makes up Avinent has Keep in mind that the value brought to the quality of the products and safety when applying them in treatments, translates into peace of mind and patient safety.

Furthermore, the concept of quality is implicit in the entire process. of production, from manufacturing processes, passing for the safety and functionality of the product, to installations or the specific regulations for each country, applying it from the beginning to end with our 100% control methods.

To complete this exhaustive process, we also have scientific support, clinical monitoring and post-marketing. At this point we have the help of universities and centers of research in which Avinent finds all the support necessary to carry out scientific studies.


Inside and outside Avinent we work to offer solutions prepared to be the most effective and competent on the market.



Accompaniment from beginning to end

Avinent offers customers end-to-end support. The team of customer service, with the first contact it provides good advice, a value that the team offers by helping the customer to make the decision to choose the best product or the best solution, and also works closely with the team commercial to be extremely careful in an aspect crucial as is the speed in the delivery of orders. For another On the other hand, technical support teams are prepared to accompany you from beginning to end in the process you need, both If it is a digitization process using digital equipment, as if a cad cam restoration process.

Always with close, personal treatment and security to be by your side in everything you need.



On the other hand, the Avinent eshop is prepared so that The customer can buy in an easy, fast and intuitive way. Puts at your disposal the complete portfolio of prosthetic components with all the connections of the most relevant brands on the market so that in just one click you can find the solutions you need to your rehabilitation, with very short delivery times and shipments international.

In addition, the eshop also contains a customer area, where you will be able to manage all your invoices, returns, save your shopping carts to repeat it in the future and monitor the status of your shipments.

Everything centralized, from the same place to buy at Avinent is quick and easy for you.

The component family Avinent prosthetics

Avinent, thanks to its extensive catalog of components prosthetics, has the capacity to assume the entire process scanning, design and manufacturing of prosthetic structures from all available digital systems. The company has an extensive digital library for software more advanced designs, which have been developed for most brands and types of connections on the market.

Extensive experience in the production of serial parts of Avinent and the mechanical and adjustment tests to which they have been subjected the components, guarantee an optimal fit for an absolutely safe restoration thanks to a process 100% controlled production process.

The range of prosthetic components consists of:





Scanbodies

Avinent scan abutments use medical grade PEEK as the material for the body of the abutment, with good radiopaque scan properties, eliminating the need to use spray. The base is made of stainless steel, which allows for perfect visibility in periapical x-rays. The anti-rotational geometry of the

connection guarantees a correct insertion and a very good fit. Our scan abutments are unique as they can be sterilised in an autoclave, allowing them to be used multiple times. Avinent's CC and CC.I connections offer a choice between abutments for single or multiple restorations.

Avinent digital libraries

To offer an integrated digital solution that brings the digital flow closer to dentists and prosthetic laboratories, Avinent also has an extensive digital library for the most advanced design software. The libraries have been developed for the majority of brands and types of connections on the market, with a multi-platform system open to all scanners. You can consult our online catalogue of digital libraries on our web page: cadcam.avinent.com/libreríasdigitales

For more information, consult our website cadcam.avinent.com or contact our commercial technical support team.




Impression copings

For open bucket or closed bucket. For conical connection (CC and CC.I) you will be able to see the anodized screws depending on the platform you are using (yellow on platform 3.5 and green on platform 4.1)



Analogs

For printed or plaster model, essential for correct completion of the prosthesis. Although the body of the component is identical, it will be used a special connection depending on the specific implant system on which is being worked. We use precision of machining to produce our analogues with the same tolerances as the implants and achieve maximum precision. In the case of the CC.I connection we find a single analogue model usable for traditional or digital processes.



Cemented abutments

If your idea is to do a rehabilitation with cemented prosthesis, you will use an abutment to cement that will allow it to be treated as if it were a natural tooth and get a perfect final aesthetic in the rehabilitation. Inside the prostheses cemented, we have:

- 1 Cemented abutment
- 2 Angled cemented abutment

Titanium bases:

Avinent titanium bases are designed with several gingiva heights to preserve the maximum amount of soft tissue and achieve emergence profiles that are perfect for an optimum aesthetic result. Avinent has the libraries needed to use the titanium

bases in the main design software and for the majority of implant connections on the market. Avinent titanium bases are also available for single or multiple restorations. Within the family of Avinent titanium bases, we find 3 types:



1



Standard titanium bases

The first generation of Avinent titanium bases. Their different gingiva heights mean it is always possible to find the best solution for every patient

» Screw connection screwdriver original

2



Cuttable titanium bases

These are the second generation of Avinent titanium bases. They are gold-dipped to improve mimetisation with the soft tissues and moreover, their cementing height is customisable, which means it can be cut to fit the base to the required type of rehabilitation

» Screw connection screwdriver original.

3



Angulation correction titanium bases

With upper profile and anatomical design, they are ideal for anterior and perfectly functional for posterior sectors. This integral system is designed with two anti-rotation planes and allows for channels with an angulation of up to 30°. Additionally, as with the high-profile titanium bases, they have a cementing height that can be cut for a complete fit with the restoration to be made

» Correction angulation system to 30°, with G2 screwdriver that provides for a maximum recommended torque of 30 Ncm



Plus, we also have the conical titanium bases, designed to be placed always over transepithelials. It is a special interim phase that allows cases with a lot of divergence to be treated.



Screws

Avinent designs different types of screws depending on the case in which they are used. The design of each screw is special for the system of implant used to power use the screwdriver original brand.



Screw-retained abutment

Perhaps your idea, instead, is to carry out rehabilitation with a screw-retained prosthesis since it is one of the most used thanks to its recoverability and easy maintenance. Within screw-retained prostheses, we find:

1 Temporary abutment

(Unitary and multiple): It is a direct connection component to implant, designed to be used provisional form in restoration prosthetics and replacing teeth. Available in Titanium.

2 Castable

It is a connecting component direct to implant and is used currently for its versatility to carry out all kinds of prosthesis without depending on the implant position.





Transepithelial abutment

The transepithelial or transmucosal abutments help us to make a type of prosthesis screwed onto abutments, allowing the connection of the prosthesis to be moved to the paragingival level, moving the micro-gap and the crown-abutment away from the bone margin while the biological width is reestablished towards the apical level, achieving an optimal mucosal seal.

It has the entire necessary range of accessories, as well as comfort plugs, to protect the abutment during immediate loading.

Avinent offers transepithelial abutments of different neck heights that allow the abutment to be adjusted to the thickness of the soft tissue, achieving greater surgical efficiency and exceptional aesthetic results, from 0.5 mm to 5 mm. mm, supplied in straight and angled versions (17°, 24° and 30°). These different heights and angles allow us to solve the most compromised cases successfully, especially in multiple immediate prostheses.

Accessories

We also have a wide portfolio of accessories for implants and components that complements the offer of accessories. With specialty screwdrivers and multiple other solutions, we make sure Avinent can offer you everything you need to carry out your restoration from start to finish.



Analog drivers


This tool allow facilitate the placement of the analogue on the printed model. Its color anodized coding improves and speeds up the professional's work.

On page 99 you have The compatibility table between analogues and drivers is available.

Avinent®

 External Connection
3,5 | 4,1 | 5,1 **15**

 Internal Connection
3,5 | 4,1 **20**

 Conical Connection
3,5 | 4,1 **25**

 Conical Connection Iceberg
3,5 | 4,1 **30**

 Pearl 3.0
Pearl 3,0 **34**

 Transepithelial
4,8 **37**

 Transepithelial slim
3,6 **37**

Compatible with Nobel Biocare®


 Brånemark System
NP | RP | WP **40**

 Replace
NP | RP | WP | 6,0 **42**

 Brånemark Multi-unit
NP | RP | WP **44**


 Active
3,0 | NP | RP | WP **46**

Compatible with Straumann®

 Straumann
NC | RC **49**


 Straumann
RN | WN **52**

 SynOcta
RN 4,8 | WN 6,5 **53**

 Multi-Base
NC 3,5-4,5 | RC 4,5-6,5 **54**

Compatible with Biomet 3i®

 External Connection
3,25 | 4,0 | 5,0 | 6,0 **55**

 Internal Certain
3,4 | 4,1 | 5,0 | 6,0 **56**

Compatible with Dentsply®

 Astratech Osseospeed
3,0 | 3,5-4,0 | 4,5-5,0 **58**

 Astratech UniAbutment
20° | 45° **60**

 Ankylos
C Narrow | C **61**

 Xive
3,0 | 3,4 | 3,8 | 4,5 | 5,5 **62**

 Xive MP
3,4 | 3,8 | 4,5 | 5,5 **64**

Compatible with **BioHorizons®**

 Tapered Internal
3,0 | 3,5 | 4,5 | 5,7 **65**


Compatible with **MIS®**

 Internal Hexagon
Narrow | Standard |
Wide | Multi-unit **68**


Compatible with **Zimmer®**


 Tapered Screw-Vent
3,5 | 4,5 | 5,7 | Tapered **70**

Compatible with **NeoDent®**

 GM® | CM®
GM | Mini Pilar Cónico
Micro Pilar **73**

Compatible with **Klockner®**


 Essential®
Cone | Octacone
Abutment | Multicone **75**

 Essential® | VEGA®
NK2® | SK2® **76**


Compatible with **Ziacom®**

 Zicnic®
NP | RP | WP
Pilar Basic **77**

Compatible with **BTI®**


 Externa
Tiny | Universal | Plus | Ancha **78**

 Interna
Universal | Plus | Ancha **79**

 Interna
Multi-IM **80**

Compatible with **CAMLOG®**

 Screw-Line
3,3 | 3,8 | 4,3 | 5,0 | 6,0 **81**


 Bar Abutment
4,3 | 6,0 **82**

Compatible with **Bego Semados®**



Bego Semados
S 3,25-3,75-4,1 | RI 4,5 | S 5,5 **83**

Compatible with **Thommen Medical®**




SPI PF
3,5 | 4,0 | 4,5 | 5,0 | 6,0 **84**

Compatible with **Sweden & Martina®**



Premium Kohno
3,3 | 3,8 | 4,25 | 5,0 | 6,0 **85**



Premium Kohno TG W
4,8 | 5,8 **86**

Accessories

Boxes, screwdrivers
i overdenture **88**

Premills Production Kit **90**

Technical specifications

Torque **94**

Labelled **104**

Compatibility table
analog drivers **104**



Engaging 
 Non-engaging 

M 1.8
Platform 3,5

M 2.0
Platform 4,1

M 2.5
Platform 5,1

Healing abutments



Healing abutment

 Ø4,0 GH
 Ø5,0 GH
 Ø6,0 GH

3,0 0030
 4,0 0031
 5,0 0032
 3,0 0033
 4,0 0034
 5,0 0035

3,0 3363
 4,0 3364
 7,0 3365
 3,0 0036
 4,0 0037
 5,0 0003
 7,0 0038

3,0 0039
 4,0 0040
 5,0 0041



Anatomic healing abutment

 Ø5,0 GH
 Ø6,0 GH

3,0 0171
 4,0 0172
 5,0 0173

3,0 0174
 4,0 0175
 5,0 0176
 7,0 0177

3,0 0178
 4,0 0179
 5,0 0180

Impression copings



Open tray


 Divergent Implants

0042
 0181

0004
 0182

0043
 0183



Screw for open tray

Short
 Long

0046
 0165

0019
 0047

0048
 0164



Closed tray




0161
 0044

0162
 0005

0163
 0045

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



				M 1.8	M 2.0	M 2.5
				Platform 3,5	Platform 4,1	Platform 5,1
Transepithelial abutments						
	Uniblock		GH	1,0 2464 2,0 2465 3,0 2466 - -	1,0 0190 2,0 0193 3,0 0196 4,0 0199 5,0 0202	
	New Uniblock Slim		GH	2,0 7945 3,0 7946 4,0 8091 5,0 8092	2,0 8094 3,0 8095 4,0 8096 5,0 8097	
	Straight abutment		GH	- 1,0 2480 2,0 2481 - - -	0,5 0204 1,0 0206 2,0 0209 3,0 0212 4,0 0215 5,0 0218	
	Angled abutment		17° GH 24° GH 30° GH	2,0 2467 3,0 2468 - - 3,0 2472 - -	2,0 0257 3,0 0258 4,0 0259 3,0 0270 4,0 0271 3,0 0764 4,0 0297 5,0 0298	
	Screw angled abutment			3969	3970	
	Prosthetic screw M 1,40			0306	0306	
	New Prosthetic screw slim M1,80			8087	8087	

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

			M 1.8 Platform 3,5	M 2.0 Platform 4,1	M 2.5 Platform 5,1		
	Short slotted screw for pillars, for bridges and structures		0377	0377	-		
	New Slim Short slotted screw for pillars, for bridges and structures		8088	8088	-		
Scanbodies							
	Scanbody 		2797	2798	2799		
Analog							
	Digital analog		2810	2811	2812		
	Traditional analog	Short	0053	0017	0054		
		Long	0051	0013	0052		
Temporary abutment							
	Titanium temporary abutment 		0144	0015	0145		
			0142	0007	0143		
Titanium bases							
	Titanium base 	GH	0,8 2815	0,5 2816	0,5 2817		
			GH	0,8 2819	0,5 2820	0,5 2821	
	Cuttable Titanium Base 		GH	1,5 6355	1,5 6357	1,5 6359	
				3,0 6356	3,0 6358	3,0 6360	
			GH		1,5 6363	1,5 6365	1,5 6367
					3,0 6364	3,0 6366	3,0 6368
	Angulation Correction Titanium Base 		GH	0,8 5149	0,8 5153	0,5 5157	
				1,8 5150	1,5 5154	1,5 6462	
			GH		0,8 5151	0,8 5155	0,5 5158
					1,8 5152	1,5 5156	1,5 6463



			M1.8 Platform 3,5	M2.0 Platform 4,1	M2.5 Platform 5,1
Premills					
	Premills	 Ti	4624	4626	4628
			4630	4632	4634
Cemented abutments					
	Cemented abutment 	 Ø4,5 GH	1,0 1710	1,0 1712	-
			3,0 1711	3,0 1713	-
		Ø5,5 GH	-	1,0 1714	-
			-	3,0 1715	-
			Ø6,5 GH	-	1,0 1716
-	-	3,0 1717	-		
	Angled cemented abutment 17° 	 Ø4,5 GH	1,0 1718	-	-
			3,0 1719	-	-
		Ø5,5 GH	-	1,0 1720	-
			-	3,0 1721	-
			Ø6,5 GH	-	1,0 1722
-	-	3,0 1723	-		
Castables					
	Castable	 	0057	0014	0058
			0055	0006	0056
	CoCr Base Castable 	 	3342	3343	3344
			3345	3346	3347
Overdenture					
	Rhein 83 Abutment	 GH	2,0 3478	2,0 3276	2,0 3280
			-	3,0 3277	-
			4,0 3479	4,0 3278	4,0 3480
			-	5,0 3279	-

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

			M 1.8 Platform 3,5	M 2.0 Platform 4,1	M 2.5 Platform 5,1
	Locator Abutment	 GH	- 1,0 2458 2,0 2459 3,0 2460 4,0 2461 5,0 2462 -	0,73 0352 - 2,0 0353 3,0 0354 4,0 0355 5,0 0356 6,0 0357	- 1,0 0358 2,0 0359 3,0 0360 4,0 0361 5,0 0362 -
	Locator R-TX Abutment	 GH	1,0 4957 2,0 4958 3,0 4959 4,0 4960 5,0 4961 6,0 4962	1,2 4963 2,0 4964 3,0 4965 4,0 4966 5,0 4967 6,0 4968	1,2 4969 2,0 4970 3,0 4971 4,0 4972 5,0 4973 -
Screws					
	Screw for abutment		0076	0010	0077
	Angulation correction Titanium base and abutment screw		5172	5173	5174
	Bridge and full arch screw		2802	2803	2804
	Bridge and full arch angulation correction screw		5178	5179	5180
	Reduced abutment screw		0568	0570	0572



M 1.8

Platform 3,5

Platform 4,1

Healing abutments



Anatomic
healing
abutment



Ø3,5 GH

3,0 3370

5,0 3371

7,0 3372

Ø4,5 GH

2,0 0465

3,0 0466

4,0 0467

5,0 0468

7,0 0469

Ø5,5 GH

3,0 0471

4,0 0472

5,0 0473

7,0 0474

Ø6,5 GH

3,0 2737

4,0 2727

5,0 2726



Aesthetic
healing
abutment



Ø4,5 GH

2,0 0607

3,0 0608

4,0 0609

5,0 0610

6,0 0611

7,0 0612

Impression copings



Open tray



0475



Implantes
Divergentes

0874



Open tray
for screw

Corto

0479

Largo

0480



Closed tray



0477

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

M 1.8

Platform 3,5
Platform 4,1

Transepthelial abutments

	Uniblock	 GH	1,0 0765		
			2,0 0766		
			3,0 0767		
			4,0 0768		
			5,0 0769		
	New Uniblock slim	 GH	1,0 7933		
			2,0 7934		
			3,0 7935		
			4,0 7936		
			5,0 7937		
	Straight abutment	 GH	1,0 0821		
			2,0 0822		
			3,0 0823		
			4,0 0824		
			5,0 0825		
	Angled abutment	 17° GH	2,0 6885		
			3,0 0808		
			4,0 0809		
			24° GH	3,0 0810	
				4,0 0811	
				3,0 0812	
			30° GH	4,0 0813	
				5,0 0814	
	Angled abutment screw		3971		
	Prosthetic screw M 1,40		0306		
	New Prosthetic screw slim M1,80		8087		
	Short slotted screw for pillars, for bridges and structures		0377		



M 1.8

Platform 3,5

Platform 4,1

New



Short slotted screw
for pillars, for
bridges and
structures slim

8088

Scanbodies



Scanbody



2801

Analog



Digital
analog

2814



Traditional
analog

Ø 3,5 0581

Ø 4,1 0585

Temporary abutments



Titanium temporary
abutment



0491

0490

Titanium bases



Titanium base



GH

0,8 2818

1,3 3035



GH

0,8 2823

1,3 3036



Cutttable titanium
base



GH

0,85 6282

1,5 6085

3,0 6086



GH

0,8 6290

1,5 6407

3,0 6408

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

M 1.8

Platform 3,5
Platform 4,1

	Angulation correction titanium base	 GH	1,0 5159	
			1,8 5160	
		 GH	1,0 5161	
			1,8 5162	
Premills				
	Premill	 Ti	4619	
		CrCo	4621	
Cemented abutments				
	Cemented abutment 	Ø4,5 GH	1,0 1724	
			3,0 1725	
		Ø5,5 GH	1,0 1726	
			3,0 1727	
			5,0 1728	
		Ø6,5 GH	3,0 1729	
	Angled cemented abutment 17° 	Ø4,5 GH	1,0 1730	
			3,0 1731	
		Ø5,5 GH	1,0 1732	
			3,0 1733	
			5,0 1734	
		Ø6,5 GH	3,0 1735	
Castables				
	Castable		0591	
			0589	
	CoCr Base Castable 		3348	
			3349	



M 1.8

Platform 3,5
Platform 4,1

Overdenture



Rhein 83
Abutment



GH

2,0 3282
3,0 3283
4,0 3284
5,0 3285



Locator
Abutment



GH

0 0596
1,0 0597
2,0 0598
3,0 0599
4,0 0600
5,0 0601



Locator R-TX
Abutment



GH

0,5 4975
1,0 4976
2,0 4977
3,0 4978
4,0 4979
5,0 4980
6,0 4981

Screws



Screw for
abutment



0076



Angulation correction
Titanium base and
abutment screw



5335



Bridge and full arch
screw



2802



Bridge and full arch
angulation correction
screw



5336



Reduced abutment
screw



0568

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

M1.6
Platform 3,5

M2.0
Platform 4,1

Healing abutments

	Anatomic healing abutment		Ø4,0 GH	3,0 2988	-
				5,0 2989	-
			Ø5,0 GH	3,0 2990	3,0 2998
				5,0 2991	5,0 2999
				7,0 2992	7,0 3000
			Ø4,0 GH	3,0 2993	-
			5,0 2994	-	
			Ø5,0 GH	3,0 2995	3,0 3473
			5,0 2996	5,0 3474	
			7,0 2997	7,0 3008	
			Ø6,0 GH	-	3,0 3470
		-	5,0 3471		
		-	7,0 3472		
		-	3,0 3010		
		-	5,0 3011		
		-	7,0 3012		
Postes de Impresión					
	Open tray			3459	3460
					3461
			Divergent implants		
	Open tray screw			3475	3476
	Closed tray			3029	3030
				3031	3032
Transepithelial abutments					
	Uniblock		GH	1,5 3108	1,5 3113
				2,0 3109	2,0 3114
				3,0 3110	3,0 3115
				5,0 3112	5,0 3117



				M 1.6 Platform 3,5		M 2.0 Platform 4,1	
	New Uniblock slim		GH	1,0 7938			
				2,0 7939			
				3,0 7940			
				4,0 7941			
				5,0 8089			
	Straight abutment		GH	2,0 3129		2,0 3134	
				3,0 3130		3,0 3135	
	Angled abutment		17° GH	2,5 7125		2,5 7126	
				3,5 3140		3,5 3143	
				5,0 3141		5,0 3144	
			24° GH	3,5 3146		3,5 3148	
			30° GH	3,5 3150		3,5 3153	
				5,0 3549		5,0 3550	
	Angled abutment screw			3967		3968	
	Prosthetic screw M 1,40			0306		0306	
	New Prosthetic screw Slim M1,80			8087		8087	
	Short slotted screw for pillars, for bridges and structures			0377		0377	
	New Short slotted screw for pillars, for bridges and structures Slim			8088		8088	

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand

¹ For implant structures with divergences of 0° to 10°

² For implant structures with divergences of 10° to 30°



Engaging 
 Non-engaging 

		M 1.6	M 2.0	
		Platform 3,5	Platform 4,1	
Scanbodies				
	Scanbody 	 0° α 10° ¹	4391	4392
		 10° α 30° ²	3080	3081
Analog				
	Digital analog	3054	3055	
	Traditional analog	3039	3040	
Temporary abutments				
	Titanium temporary abutment 		3009	3015
			3018	3020
Titanium bases				
	Titanium base 	 GH	0,8 3048	0,8 3049
			1,8 3066	1,4 3083
		 GH	0,8 3050	0,5 3051
			1,25 3067	0,9 3082
	Cuttable titanium base 	 GH	0,8 6283	0,8 6284
			1,5 6087	1,5 6089
			3,0 6088	3,0 6090
		 GH	0,8 6291	0,5 6292
			1,5 6409	1,5 6411
			3,0 6410	3,0 6412
	Angulation correction titanium base 	 GH	0,8 5163	0,8 5167
			1,8 5164	1,8 5168
		 GH	0,8 5165	0,8 5169
			1,8 5166	1,8 5170



			M 1.6	M 2.0
			Platform 3,5	Platform 4,1
Premills				
	Premill	 Ti	4648	4650
		CrCo	4652	4654
Cemented Abutments				
	Cemented abutment 	 Ø4,0 GH	1,0 3088	-
			3,0 3089	-
		Ø5,0 GH	1,0 3090	1,0 3092
			3,0 3091	3,0 3093
		Ø6,0 GH	-	1,0 3094
			-	3,0 3095
	Angled cemented abutment 17° 	 Ø4,0 GH	1,0 3096	-
			3,0 3097	-
		Ø5,0 GH	1,0 3098	1,0 3100
			3,0 3099	3,0 3101
		Ø6,0 GH	-	1,0 3102
			-	3,0 3103
Castable				
	CoCr Base castable 		3338	3339
			3340	3341
Overdenture				
	Rhein 83 abutment	 GH	2,0 3268	2,0 3272
			3,0 3269	3,0 3273
			4,0 3270	4,0 3274
			5,0 3271	5,0 3275
	Locator abutment	 GH	1,0 3242	1,0 3247
			2,0 3243	2,0 3248
			3,0 3244	3,0 3249
			4,0 3245	4,0 3250
			5,0 3246	5,0 3251

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height
Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

			M 1.6	M 2.0
			Platform 3,5	Platform 4,1
 Locator R-TX abutment  GH	1,0	4982	1,0	4988
	2,0	4983	2,0	4989
	3,0	4984	3,0	4990
	4,0	4985	4,0	4991
	5,0	4986	5,0	4992
	6,0	4987	6,0	4993
Screws				
 Screw for abutments 		3466		3467
 Angulation correction Titanium base screw 		5175		5176
 Bridge and full arch screw 		3045		3046
 Bridge and full arch angulation correction screw 		5181		5182



M 1.6
Platform 3,5

M 2.0
Platform 4,1

Healing abutments

	Straight healing abutment		Ø3,5 GH	2,0 5922 3,0 5923 5,0 5924		
			Ø4,0 GH		2,0 5925 3,0 5926 5,0 5927	
	Anatomic healing abutment		Ø4,0 GH	2,0 5928 3,0 5929 5,0 5930		
			Ø5,0 GH	2,0 5931 3,0 5932 5,0 5933	2,0 5934 3,0 5935 5,0 5936	
			Ø6,0 GH	2,0 5937 3,0 5938 5,0 5939		
Impression copings						
	Open tray			5958		5959
				 Divergent implants	3461	3462
	Open tray screw			3475		3476
	Closed tray	 		3031		3032
Transepithelial abutments						
	Uniblock		GH	1,2 5980 3,2 5981		1,2 5982 3,2 5983

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

				M 1.6		M 2.0	
				Platform 3,5		Platform 4,1	
	New Uniblock Slim		GH	1,0	7942		
				2,0	8090		
				3,0	7943		
	Straight abutment		GH	1,2	5984	1,2	5985
	Angled abutment		17° GH	3,2	5987	3,2	5989
			24° GH	3,2	5991	3,2	5993
			30° GH	3,2	5995	3,2	5997
	Angled abutment screw				3967		3968
	Prosthetic screw M 1,40				0306		0306
	New Prosthetic screw Slim M1,80				8087		8087
	Short slotted screw for pillars, for bridges and structures				0377		0377
	New Short slotted screw for pillars, for bridges and structures Slim				8088		8088
Scanbodies							
	Scanbody				3080		3081
Analog							
	Digital/traditional analog			3,5	5942	4,5	5944
				4,0	5943	5,0	5945



		M 1.6 Platform 3,5		M 2.0 Platform 4,1	
Temporary abutments					
	Titanium temporary abutment ⊙	 	5970		5971
			5972		5973
Titanium bases					
	Cutttable titanium base ⊙	 GH  GH	1,2 5950		1,2 5951
			3,2 6061		3,2 6062
		1,2 5952		1,2 5953	
		3,2 6063		3,2 6064	
	Angulation correction titanium base ⊙	 GH  GH	1,2 5954		1,2 5955
			2,2 6466		2,2 6467
		1,2 5956		1,2 5957	
		2,2 6468		2,2 6469	
Premills					
	Premill	 Ti  CrCo	5946		5947
			5948		5949
Cemented abutments					
	Cemented abutments ⊙	 Ø3,7 GH  Ø4,2 GH  Ø4,5 GH  Ø5,0 GH	0,6 5962		-
			1,0 5963		-
			-		1,0 5964
			-		1,2 5965
	Angled cemented abutment 17° ⊙	 Ø3,7 GH  Ø4,2 GH  Ø4,5 GH  Ø5,0 GH	0,6 5966		-
			1,0 5967		-
			-		1,0 5968
			-		1,2 5969

Recuerda que:

Las medidas están indicadas en mm.
 GH significa altura gingival (Gingival Height)

 Tornillo incluido

Los anodizados se realizan en función del color original de la marca



Engaging 
 Non-engaging 

			M 1.6 Platform 3,5	M 2.0 Platform 4,1
Castable				
	CoCr Base castable 	 	5976	5977
			5978	5979
Overdenture				
	Rhein 83 abutment	 GH	2,0 3268	2,0 3272
			3,0 3269	3,0 3273
			4,0 3270	4,0 3274
			5,0 3271	5,0 3275
	Locator abutment	 GH	1,0 3242	1,0 3247
			2,0 3243	2,0 3248
			3,0 3244	3,0 3249
			4,0 3245	4,0 3250
			5,0 3246	5,0 3251
	Locator R-TX abutment	 GH	1,0 4982	1,0 4988
			2,0 4983	2,0 4989
			3,0 4984	3,0 4990
			4,0 4985	4,0 4991
			5,0 4986	5,0 4992
			6,0 4987	6,0 4993
Screws				
	Screw for abutments		3466	3467
	Angulation correction Titanium base screw		5175	5176
	Bridge and full arch screw		3045	3046
	Bridge and full arch angulation correction screw		5181	5182



M 1.6

Platform 3,0

Healing abutments

	Healing abutment		Ø3,5 GH	2,5	6016		
				3,5	6017		
				5,5	6018		
					Ø4,0 GH	2,5	6019
						3,5	6020
						5,5	6021

Impression copings

	Open tray				5767
	Open tray screw				5769
	Closed tray				5808

Scanbodies

	Scanbody				5344
---	----------	---	---	--	------

Analog

	Digital analog				5345
	Traditional analog				5377

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Avinent®
 Pearl 3.0
 3,0

M 1.6
Platform 3,0

Temporary abutments

 Titanium temporary abutment  

5759

Titanium bases

 Cuttable titanium base   GH

0,9 5346

Premills

 Premill Ti
CrCo

5347

5350

Cemented abutments

 Cemented abutment  Ø4,0 GH

0,9 5755

 Angled cemented abutment 17°  Ø3,7 GH

0,9 5757

Castables

 CoCr base castable  

5763

Overdentures

 Rhein 83 abutment  GH

0,8 4166

1,8 4167

2,8 4168



M 1.6

Platform 3,0

Screws



Screw for
abutments



5348



Reduced abutment
screw



5753

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

M 1.8
Transepithelial 3,6 Slim
 New

M 1.4
Transepithelial 4,8

Impression copings



Open tray



7927
 7928

0316
 0315



Closed tray


-

0318

Scanbodies



Scanbody



7921
 -

5317
 2800

Analogs



Digital
 analog

7923

2813



Traditional
 analog

7922

0322

Temporary abutment



Titanium temporary
 abutment



7931
 7932

0310
 0309

Titanium bases



Titanium base

 GH

0,5 2822



Conical titanium
 base

 GH

0,3 7924

0,2 4153



Cuttable titanium
 base

 GH
 GH

1,0 8103

0,5 6361

1,0 8085

1,5 6362

0,5 6369

1,5 6370



			M 1.8	M 1.4
			Transepithelial 3,6 Slim New	Transepithelial 4,8
	Angulation correction titanium base	 GH	1,0 7925	0,5 5187
		 GH	1,0 7926	1,5 6464 0,5 5171 1,5 6465
Premills				
	Premill	Ti	8113	5318
		CrCo	8114	5319
Healing cap				
	Healing cap		7920	0321
Castables				
	Castable			0308
			7930	0307
Overdentures				
	Locator abutment	 GH	-	3,0 2225
Screws				
	Screw for abutments		8087	0306
	Angulation correction Titanium base screw		8086	5177
	Bridge and full arch screw		8087	0306
	Bridge and full arch angulation correction screw		8086	5177
	Reduced abutment screw	 	8088	0377

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Components
for other brands



M 1.6
Brånemark System
NP 3.5

M 2.0
Brånemark System
RP 4.1

M 2.5
Brånemark System
WP 5.1

Transepithelial abutments

			M 1.6	M 2.0	M 2.5
 Uniblock  GH			1,0 6867	1,0 6870	
			2,0 6868	2,0 6871	
			3,0 6869	3,0 6872	
			-	4,0 6873	
			-	5,0 6874	
 Prosthetic screw M1,40 Scanbodies			1883	1883	
 Scanbody  			2078	2093	1781
Analogs					
 Digital analog  Traditional analog			2101	2609	2610
			1680	2595	2596

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Nobel Biocare®**

Brånemark System

NP | RP | WP

			M 1.6 Brånemark System NP 3.5	M 2.0 Brånemark System RP 4.1	M 2.5 Brånemark System WP 5.1
Temporary abutments					
	Titanium temporary abutment	 	6846	6847	6848
			6849	6850	6851
Titanium bases					
	Titanium base	 	GH 0,8 1775	0.5 1943	0,5 1776
			GH 0,8 2232	0.5 2233	0,5 2234
	Cuttable titanium base	 	GH 1,5 6772	1,5 6774	1,5 6776
			GH 3,0 6773	3,0 6775	3,0 6777
		 	GH 1,5 6778	1,5 6780	1,5 6782
			GH 3,0 6779	3,0 6781	3,0 6783
	Angulation correction titanium base	 	GH 0,8 6746	0,8 6748	0,5 6750
			GH 1,8 6747	1,8 6749	1,5 6751
		 	GH 0,8 6752	0,8 6754	0,5 6756
			GH 1,8 6753	1,8 6755	1,5 6757
Premills					
	Premill	 	Ti 4636	4638	4640
			CrCo 4642	4644	4646
Screws					
	Screw for abutment		1901	1881	1882
	Angulation correction Titanium base screw		6704	6010	6011
	Bridge and full arch screw		1880	1881	1882
	Bridge and full arch angulation correction screw		6729	6010	6011



M 1.8
Replace NP
3.5 Purple

M 2.0
Replace RP
4.3 Yellow

M 2.0
Replace WP
5.0 Blue

M 2.0
Replace
6.0 Green

Scanbodies



Scanbody



2081

2082

2083

2084

Analogs



Digital analog

2102

2103

2104

2105



Traditional analog

1681

1682

1683

1684

Temporary abutments



Titanium temporary abutment



6838

6839

6840

6841

6842

6843

6844

6845

Titanium bases



Titanium base



GH



GH

0,8 1981

0,5 1947

0,5 1948

0,5 1949

0,8 2235

0,5 2236

0,5 2237

0,5 2238



Engaging 
 Non-engaging 

Compatible with **Nobel Biocare®**

Replace
 NP | RP | WP | 6,0

			M 1.8 Replace NP 3.5 Purple	M 2.0 Replace RP 4.3 Yellow	M 2.0 Replace WP 5.0 Blue	M 2.0 Replace 6.0 Green
 Cuttable titanium base 	 GH	0,8 6245	0,5 6246	0,5 6247	0,5 6248	
		2,0 6071	2,0 6072	2,0 6764	-	
		3,0 6762	3,0 6763	3,0 6765	-	
	 GH	0,8 6261	0,5 6262	0,5 6263	0,5 6264	
		2,0 6766	2,0 6768	2,0 6770	-	
		3,0 6767	3,0 6769	3,0 6771	-	
 Angulation correction titanium base 	 GH	0,8 5264	0,8 5268	-		
		1,8 5266	1,8 5270	1,8 5272		
	 GH	0,8 5265	0,8 5269	-		
		1,8 5267	1,8 5271	1,8 5273		
Pilares Pre-fresados						
 Premill	 Ti CrCo	4668	4670	4672	4674	
		4676	4678	4680	4682	
Tornillos						
 Screw for abutment		1885	1886	1886	1886	
 Angulation correction Titanium base screw		5308	5309	5309	5309	
 Bridge and full arch screw		1885	1886	1886	1886	
 Bridge and full arch angulation correction screw		5308	5309	5309	5309	



M 1.4
Brånemark Multi-unit
NP 3.5

M 1.4
Brånemark Multi-unit
RP 4.1

M 1.8
Brånemark Multi-unit
WP 5.1

Scanbodies



Scanbody



2079

2079

2080

Analogs



Digital analog

2611

2611

2136



Traditional analog

2597

2597

2091

Temporary abutments



Titanium temporary abutments



6853

6853

6852

Titanium bases



Titanium base



GH

0,5 2259

0,5 2259

0,5 2260



Cutttable titanium base



GH

0,5 6785

0,5 6785

0,5 6784

1,5 6786

1,5 6786

-



Conical titanium base



GH

0,8 4160

0,8 4160

-



Angulation correction titanium base



GH

0,5 6013

0,5 6013

1,0 6758

1,5 6759

1,5 6759

-

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Nobel Biocare®**

Brånemark Multi-unit

NP | RP | WP

			M 1.4 Brånemark Multi-unit NP 3.5	M 1.4 Brånemark Multi-unit RP 4.1	M 1.8 Brånemark Multi-unit WP 5.1
Screws					
	Angulation correction Titanium base screw		6012	6012	6705
	Bridge and full arch screw		1883	1883	1884
	Bridge and full arch angulation correction screw		6012	6012	6705



M 1.4
**Active
3.0 Grey**

M 1.6
**Active NP
3.5 Purple**

M 2.0
**Active RP
4.3 | 5.0 Yellow**

M 2.0
**Active WP
5.5 Blue**

Impression copings



Open tray




6661

6662

6663



Open tray
screw

6664

6665

6666

Transepithelial abutments



Uniblock



GH

1,5 6024

1,5 6028

2,0 6025

2,0 6029

3,0 6026

3,0 6030

5,0 6027

5,0 6031



Angled abutment



17° GH

2,5 7127

2,5 7128

3,5 6178

3,5 6182

5,0 6179

5,0 6183

30° GH

3,5 6180

3,5 6184

5,0 6181

5,0 6185



Screw for angled
abutment



7148

7149



Prosthetic
screw M1.4

1883

1883

Scanbodies



Scanbody



0° α 10°¹

2845

4395

4396

3986



10° α 30°²

-

2089

2090

3986

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Nobel Biocare®**

Active
 3,0 | NP | RP | WP

			M 1.4 Active 3.0 Grey	M 1.6 Active NP 3.5 Purple	M 2.0 Active RP 4.3 5.0 Yellow	M 2.0 Active WP 5.5 Blue	
Analogs							
	Digital analog		2847	2099	2100	3988	
	Traditional analog		-	0213	0214	3987	
Temporary abutments							
	Titanium temporary abutment			6458	6459	6428	
				6460	6461	6429	
Titanium bases							
	Titanium base		GH	0,8 1950	0,8 1951	0,8 3989	
				1,8 2908	1,4 2915	-	
			GH	0,8 2239	0,5 2240	0,5 3990	
				1,25 2928	0,9 2929	-	
	Cuttable titanium base		GH	-	0,8 6249	0,8 6250	
				1,5 6760	1,5 6067	1,5 6069	1,5 6371
				3,0 6761	3,0 6068	3,0 6070	3,0 6372
			GH	0,8 6265	0,5 6266	-	
				1,5 6373	1,5 6375	1,5 6377	
				3,0 6374	3,0 6376	3,0 6378	
	Angulation correction titanium base		GH	0,8 5840	0,8 5844	0,8 6470	
				1,8 5841	1,8 5845	1,8 6471	
			GH	0,8 5842	0,8 5846	0,8 6472	
				1,8 5843	1,8 5847	1,8 6473	
Premills							
	Premill		Ti	4697	4655	4656	
			CrCo	4701	4657	4658	



	M 1.4 Active 3.0 Grey	M 1.6 Active NP 3.5 Purple	M 2.0 Active RP 4.3 5.0 Yellow	M 2.0 Active WP 5.5 Blue
Screws				
 Screw 	2844	1901	1902	1902
 Angulation correction Titanium base screw 	-	5848	5849	5849
 Bridge and full arch screw 	-	1887	1881	1881
 Bridge and full arch angulation correction screw 	-	5834	5835	5835

Recuerda que:

Las medidas están indicadas en mm.
GH significa altura gingival (Gingival Height)

 Tornillo incluido

Los anodizados se realizan en función del color original de la marca



Anti-rotatorio 
 Rotatorio 

Compatible con **Straumann®**

Straumann

NC | RC

M 1.6

Straumann NC 3.3

M 1.6

Straumann RC 4.1 | 4.8

Impression copings



Open tray




6659

6660



Open tray
 screw

6657

6658

Transepithelial abutments



Uniblock



GH

1,5 6032
 2,5 6033
 3,5 6034

1,5 6035
 2,5 6036
 3,5 6037



Angled abutment



17° GH

2,5 6186
 3,5 6187

2,5 6190
 3,5 6191



30° GH

3,5 6188
 4,5 6189

3,5 6192
 4,5 6193



Screw for
 angled abutment



6232

6233



Prosthetic
 screw M 1,40

6238

6238

Scanbodies



Scanbody




2076

2077

Analogs



Digital
 analog

2097

2098



Traditional
 analog

0235

0211



			M 1.6 Straumann NC 3.3		M 1.6 Straumann RC 4.1 4.8		
Temporary abutments							
	Titanium temporary abutment		6430		6431		
			6432		6433		
Titanium bases							
	Titanium base	 GH	0,9 1954		1,0 1955		
			 GH	1,95 2905		-	
		 GH	0,8 2243		0,8 2244		
			 GH	1,6 2927		-	
	Cutttable titanium base	 GH	0,9 6254		1,0 6255		
			 GH	2,0 6073		-	
			 GH	3,0 6074		3,0 6075	
		 GH	0,8 6270		0,8 6271		
			 GH	2,0 6380		-	
			 GH	3,0 6381		3,0 6383	
	Angulation correction titanium base	 GH	1,8 5277		1,8 5281		
			 GH	1,8 5279		1,8 5283	
Titanium bases							
	Premill	 Ti	4579		4580		
			 CrCo	4664		4666	

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Straumann®**

Straumann

NC | RC

M 1.6
Straumann NC 3.3

M 1.6
Straumann RC 4.1 | 4.8

Screws

			M 1.6 Straumann NC 3.3	M 1.6 Straumann RC 4.1 4.8
	Screw		1905	1905
	Angulation correction Titanium base screw		5748	5748
	Bridge and full arch screw		1891	1891
	Bridge and full arch angulation correction screw		5832	5832



Scanbodies



Scanbody



2085

2086

Analogs



Digital analog

2106

2107



Traditional analog

1685

1686

Titanium bases



Titanium base



GH

1,0 1952

1,4 1953



GH

1,0 2241

1,4 2242

Premills



Premill



Ti

4723

4725

CrCo

4727

4729

Screws



Screw for abutment



1903

1903



Bridge and full arch screw



6707

6707



Bridge and full arch angulation correction screw



7076

7076



Angulation correction Titanium base screw



6731

6731

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Straumann®**

SynOcta
 RN 4,8 | WN 6,5

M 2.0
RN 4.8

M 2.0
WN 6.5

Scanbodies



Scanbody




2087

2088

Analogs



Digital analog

2108

2109



Traditional analog

1687

1688

Titanium bases



Titanium base




GH

1,0 1960

1,3 1961



GH

1,0 2257

1,3 2258

Screws



Screw for abutment



1904

1904



Bridge and full arch screw



1890

1890



Bridge and full arch angulation correction screw



6732

6732



M 1,4
NC 3,5

M 1,4
NC 4,5

M 1,4
RC 4,5

M 1,4
RC 6,5

Scanbodies

 Scanbody 	2067	2074	2074	2075
Analogs				
 Digital analog	2131	2132	2132	2133
Screws				
 Screw for abutment 	1892	1892	1892	1892
 Bridge and full arch angulation correction screw 	6709	6709	6709	6709

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Biomet 3i®**

External Connection

3,25 | 4,0 | 5,0 | 6,0

M2.0
**External 3,25
 Purple**

M2.0
**External 4,0
 Blue**

M2.0
**External 5,0
 Yellow**

M2.0
**External 6,0
 Green**

Scanbodies



Scanbody




1830

2534

2534

2534

Analogs



Digital
 analog

2114

2613

2115

2116



Traditional
 analog

1693

2599

1694

1695

Titanium bases



Titanium base




GH

0,8 1866

0,5 2558

0,5 1867

0,5 1868



GH

0,8 2209

0,5 2568

0,5 2210

0,5 2211

Premills



Premill



Ti

4731

4578

4578

4578

CrCo

4737

4577

4577

4577

Screws



Screw for
 abutment



2471

2471

2471

2471



Bridge and
 full arch
 screw



2471

2471

2471

2471



Bridge and full arch
 angulation
 correction screw



6715

6715

6715

6715



M 1.6
**Internal 3,4
Purple**

M 1.6
**Internal 4,1
Blue**

M 1.6
**Internal 5,0
Yellow**

M 1.6
**Internal 6,0
Green**

Impression copings



Open tray




6667

6668

6669

6670



Open tray
Screw

6672

6673

6674

6675

Transepithelial abutments



Uniblock



GH

1,0 6146
2,0 6147
3,0 6148
4,0 6149

1,0 6150
2,0 6151
3,0 6152
4,0 6153



Angled abutment




17° GH

30° GH

2,0 6194
4,0 6195
3,0 6196
5,0 6197

2,0 6198
4,0 6199
3,0 6200
5,0 6201



Angled abutment
screw



6234

6235



Prosthetic
screw M 1,40

6239

6239

Scanbodies



Scanbody




1833

1834

1834

1834

Análogos



Digital
analog

2117

2118

2119

2523



Traditional
analog

1696

1697

1698

2522

Pilares provisionales



Titanium
temporary
abutment 



6434

6438

6435

6439

6436

6440



Engaging 
 Non-engaging 

Compatible with **Biomet 3i®**

Internal Certain

3,4 | 4,1 | 5,0 | 6,0

			M 1.6 Internal 3,4 Purple	M 1.6 Internal 4,1 Blue	M 1.6 Internal 5,0 Yellow	M 1.6 Internal 6,0 Green
Titanium bases						
	Titanium base 	 GH	0,8 1869	0,5 1870	0,5 1871	0,5 2519
			1,35 2914	0,75 2916	-	-
		 GH	0,8 2212	0,5 2213	0,5 2214	0,5 2521
			1,35 2930	-	-	-
	Cutttable titanium base 	 GH	0,8 6251	0,5 6252	0,5 6253	
			1,5 6065	1,5 6066	1,5 6386	
			3,0 6384	3,0 6385	3,0 6387	
		 GH	0,8 6267	0,5 6268	0,5 6269	
			1,5 6390	1,5 6392	1,5 6394	
			3,0 6391	3,0 6393	3,0 6395	
	Angulation correction titanium base 	 GH	0,8 5284	0,8 5288	-	
			1,5 5285	1,5 5289	1,5 5292	
		 GH	0,8 5286	0,8 5290	-	
			1,5 5287	1,5 5291	1,5 5293	
	Premill	 Ti CrCo	4733	4735	4735	4735
			4739	4741	4741	4741
Screws						
	Screw for abutment		1510	1510	1510	1510
	Angulation correction Titanium base screw		5311	5311	5311	-
	Bridge and full arch screw		1513	1513	1513	1513
	Bridge and full arch angulation correction screw		5311	5311	5311	5311



M1.4
**Osseospeed 3,0
Yellow**

M1.6
**Osseospeed 3,5-4,0
Aqua**

M2.0
**Osseospeed 4,5-5,0
Lilac**

Transepithelial abutment



Uniblock



GH

1,5 6300
2,5 6301
3,5 6302

1,5 6303
2,5 6304
3,5 6305



Prosthetic
screw M 1,40

6243

6243

Scanbodies



Scanbody




2096

1835

1828

Analogs



Digital
analog

2120

2121

2122



Traditional
analog

1699

1700

1701

Temporary abutments



Provisional
Titanio 



6854

6855

6856

6857

6858

6859

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Dentsply®**
 Astratech Osseospeed
 3,0 | 3,5-4,0 | 4,5-5,0

			M1.4 Osseospeed 3,0 Yellow	M1.6 Osseospeed 3,5-4,0 Aqua	M2.0 Osseospeed 4,5-5,0 Lilac
Titanium bases					
 Titanium base 	 GH	1,0 1962	1,15 1963	0,8 1964	
		2,3 2873	1,85 2907	-	
	 GH	1,0 2245	1,15 2246	0,8 2247	
		2,3 2925	1,85 2926	-	
 Cuttable titanium base 	 GH	1,5 6787	1,15 6259	0,8 6260	
		3,0 6788			
	 GH		1,15 6275	0,8 6276	
 Angulation correction titanium base 	 GH		1,8 5294	1,8 5298	
			3,0 5295	-	
	 GH		1,8 5296	1,8 5300	
			3,0 5297	-	
Premills					
 Premill	 Ti CrCo	4715	4607	4717	
		4719	4609	4721	
Screws					
 Screw		1906	1894	1895	
 Angulation correction Titanium base screw			5312	5313	
 Bridge and full arch screw		1893	1894	1895	
 Bridge and full arch angulation correction screw		6730	5312	5313	



M 1.4
UniAbutment 20°

M 1.4
UniAbutment 45°

Scanbodies



Scanbody




1793

1793

Analogs



Digital analog

2138

2139



Traditional analog

2094

2095

Titanium bases



Base de Titanio




0,8 2266

0,8 2267

Screws



Screw



1941

1941



Bridge and full arch angulation correction screw



6706

6706

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Dentsply®**

Ankylos
 C Narrow | C

M 1.6

**Pilar Balance Base
 Abutment C Narrow**

M 1.6

**Pilar Balance Base
 Abutment C**

Scanbodies



Scanbody




1831

1842

Analogs



Digital
 analog

2400

2399

Screws



Screw



2365

2365



Bridge and full arch
 angulation
 correction screw



6721

6721



M 1.4
**Xive D 3,0
Brown**

M 1.6
**Xive D 3,4
Grey**

M 1.6
**Xive D 3,8
Yellow**

M 1.6
**Xive D 4,5
Blue**

M 1.6
**Xive D 5,5
Red**

Scanbodies



Scanbody




2038

2040

2368

2368

2368

Analogs



Digital
analog

2435

2436

2437

2438

2439



Traditional
analog

2421

2422

2423

2424

2425

Titanium bases



Cutttable titanium
base




GH

1,5 7378
3,0 7379

1,5 7380
3,0 7381

1,5 7382
3,0 7383

1,5 7384
3,0 7385



GH

1,5 7386
3,0 7387

1,5 7388
3,0 7389

1,5 7390
3,0 7391



Angulation
correction
titanium base




GH

1,5 7485
2,5 7486

1,5 7487
2,5 7488

1,5 7489
2,5 7490



GH

1,5 7491
2,5 7492

1,5 7493
2,5 7494

1,5 7495
2,5 7496

Premills



Premill



Ti

4581

4582

4583

4583

4583

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



			Xive D 3,0 Brown	Xive D 3,4 Grey	Xive D 3,8 Yellow	Xive D 4,5 Blue	Xive D 5,5 Red
Screws							
	Screw		2376	2694	2694	2694	2694
	Bridge and full arch screw		2384	2066	2066	2066	2066
	Bridge and full arch angulation correction screw		6739	6740	6740	6740	6740



M 1.6
Xive MP D 3,4
Grey

M 1.6
Xive MP D 3,8
Yellow

M 1.6
Xive MP D 4,5
Blue

M 1.6
Xive MP D 5,5
Red

Scanbodies

	Scanbody 		2369	2369	2369	2369
Analogs						
	Digital analog		2440	2440	2442	2443
Screws						
	Screw		2379	2379	2379	2379
	Bridge and full arch angulation correction screw		6720	6720	6720	6720



Engaging 
 Non-engaging 

Compatible with **Dentsply®**

Xive MP

3,4 | 3,8 | 4,5 | 5,5

M 1.8 - UNF 1-72

M 1.8

M 1.8

M 1.8

**Internal 3,0
Grey**

**Internal 3,5
Yellow**

**Internal 4,5
Green**

**Internal 5,7
Blue**

Impression copings



Open tray
⊙



6683

6684

6685



Open tray screw

6687

6688

6689

Transepithelial abutment



Uniblock



GH

1,0 6170
2,0 6171
3,0 6172
4,0 6173
5,0 6174

1,0 6175
2,0 6176
3,0 6177
-
-



Angled abutment
⊙



17° GH

30° GH

2,0 6222
3,0 6223
4,0 6224
3,0 6225
4,0 6226
5,0 6227

2,0 6228
3,0 6229
4,0 6230
5,0 6231



Angled abutment
screw



6883

6884



Prosthetic
screw M 1,40

6242

6242

Scanbodies



Scanbody
⊙



2713

2625

2626

2627

Analogs



Digital
analog

2551

2616

2617

2618



			M 1.8 - UNF 1-72	M 1.8	M 1.8	M 1.8
			Internal 3,0 Grey	Internal 3,5 Yellow	Internal 4,5 Green	Internal 5,7 Blue
	Traditional analog		-	2601	2602	2603
Temporary abutments						
	Temporary Abutment	 		6448 6451	6449 6452	6450 6453
Titanium bases						
	Titanium base	 GH 	- 1,3 4599	0,8 2656 1,3 2911	0,25 2657 -	0,25 2658 -
		 GH	- 1,3 4601	0,8 2659 1,3 2932	0,25 2660 -	0,25 2655 -
	Cutttable titanium base	 GH 	- - -	0,85 6279 1,5 6082 3,0 6083	0,25 6280 1,5 6084 3,0 6413	0,25 6281 1,5 6414 3,0 6415
		 GH	- - -	0,80 6287 1,5 6416 3,0 6417	0,25 6288 1,5 6418 3,0 6419	0,25 6289 1,5 6420 3,0 6421
	Angulation correction titanium base	 GH 	- -	1,0 6046 1,8 6047	0,8 6050 1,8 6051	0,8 6476 1,8 6054
		 GH	- -	1,0 6048 1,8 6049	0,8 6052 1,8 6053	0,8 6477 1,8 6055
Premills						
	Premill	 Ti CrCo	4762 4766	4744 4745	4763 4767	4764 4768

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **BioHorizons®**

Tapered Internal

3,0 | 3,5 | 4,5 | 5,7

			M 1.8 - UNF 1-72	M 1.8	M 1.8	M 1.8
			Internal 3,0 Grey	Internal 3,5 Yellow	Internal 4,5 Green	Internal 5,7 Blue
Screws						
	Screw		Premill 2712	2632	2632	2632
			Base Ti 4603	-	-	-
	Angulation correction Titanium base screw		-	6057	6057	6057
	Bridge and full arch screw		2630	2630	2630	2630
	Bridge and full arch angulation correction screw		6737	6060	6060	6060

M 1.6
**Narrow Platform
NP 3.3 Yellow**

M 1.8
**Standard Platform
SP 3.75 | 4.2 Purple**

M 1.8
**Wide Platform
EP 5.0 | 6.0 Green**

M 1.6
**Multi-unit Abutment
4.8**

Impression copings



Open tray



6690

6691



Open tray
screw

6692

6693

Transepithelial abutments



Uniblock



GH

1,0 6162
2,0 6163
3,0 6164
4,0 6165
5,0 6166

1,0 6167
2,0 6168
3,0 6169
-
-



Angled abutment



17° GH

2,0 6212
3,0 6213
4,0 6214
3,0 6215
4,0 6216
5,0 6217

2,0 6218
3,0 6219
4,0 6220
5,0 6221

30° GH



Angled
abutment screw



6881

6882



Prosthetic
screw M 1,40

6241

6241

Scanbodies



Scanbody



1872

2628

2629

4827

Analogs



Digital
analog

2073

2619

2620

4836



Traditional
analog

-

2604

2605

-

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Compatible with **Mis®**
Internal Hexagon
Narrow | Standard | Wide | Multi-unit

			M 1.6	M 1.8	M 1.8	M 1.6		
			Narrow Platform NP 3.3 Yellow	Standard Platform SP 3.75 4.2 Purple	Wide Platform EP 5.0 6.0 Green	Multi-unit Abutment 4.8		
Temporary abutments								
	Titanium temporary abutment 	 		6454	6455			
				6456	6457			
Titanium bases								
	Titanium base 	 GH		0,8 2661 1,3 2912	0,25 2662 -			
			 GH		0,8 2663 1,3 2933	0,25 2664 -		
				Cutttable titanium base 	 GH		0,85 6277 1,5 6079 3,0 6080	0,25 6278 1,5 6081 3,0 6422
			 GH				1,5 7335 3,0 7336	0,80 6285 1,5 6423 3,0 6424
	Angulation correction titanium base 				 GH		1,0 6038 1,8 6039	0,8 6042 1,8 6043
			 GH				1,0 6040 1,8 6041	0,8 6044 1,8 6045
		Premills						
			Premill	 Ti CoCr		4778 4781	4746 4747	4779 4782
Screws								
	Screw		1874	2633	2633	-		
	Angulation correction Titanium base screw		-	6056	6056	6059		
	Bridge and full arch screw		-	2631	2631	4388		
	Bridge and full arch angulation correction screw		-	6058	6058	6059		



M 1.8
3,5 mm D
Green

M 1.8
4,5 mm D
Purple

M 1.8
5,7 mm D
Yellow

M 1.8
Tapered Screw-Vent
Multi-unit

Impression copings



Open tray



6676

6677

6678



Open tray
screw

6680

6681

6682

Transepithelial abutments



Uniblock



1,0 6157
2,0 6158
3,0 6159
4,0 6160
5,0 6161

1,0 6154
2,0 6155
3,0 6156
-
-



Angled abutment



2,0 6202
3,0 6203
4,0 6204
3,0 6205
4,0 6206
5,0 6207

2,0 6208
3,0 6209
4,0 6210
5,0 6211



Angled
abutment screw



6236

6237



Prosthetic
screw M 1,40

6240

6240

Scanbodies



Scanbody



1786

1782

2057

2275



Analogs



Digital
analog

2615

2123

2124

2444

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Zimmer®**
 Tapered Screw-Vent
 3,5 | 4,5 | 5,7 | Tapered

		M 1.8 3,5 mm D Green	M 1.8 4,5 mm D Purple	M 1.8 5,7 mm D Yellow	M 1.8 Tapered Screw-Vent Multi-unit	
	Traditional analog	2600	1702	1703	2430	
Temporary abutments						
	Titanium temporary abutment  	6446	6442	6443		
		6447	6444	6445		
Titanium bases						
	Titanium base  GH 	0,8 1965	0,25 1966	0,25 1967		
		1,3 2910	-	-		
		0,8 2248	0,25 2249	0,25 2250		
		1,3 2923	-	-		
	 GH	0,85 6256	0,25 6257	0,25 6258		
		1,5 6076	1,5 6078	1,5 6399		
		3,0 6077	3,0 6398	3,0 6400		
	 GH	0,8 6272	0,25 6273	0,25 6274		
		1,5 6401	1,5 6403	1,5 6405		
		3,0 6402	3,0 6404	3,0 6406		
	 GH	1,0 5827	0,8 5302	0,8 6474		
		1,8 5828	1,8 5303	1,8 5306		
		1,0 5829	0,8 5304	0,8 6475		
	 GH	1,8 5830	1,8 5305	1,8 5307		
		Premills				
			Premill  Ti	4742	4754	4756
4743	4758			4760		



			M 1.8 3,5 mm D Green	M 1.8 4,5 mm D Purple	M 1.8 5,7 mm D Yellow	M 1.8 Tapered Screw-Vent
Screws						
	Screw		1909	1909	1909	-
	Angulation correction Titanium base screw		5320	5320	5320	-
	Bridge and full arch screw		1896	1896	1896	1942
	Bridge and full arch angulation correction screw		5831	5831	5831	-

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Zimmer®**
 Tapered Screw-Vent
 3,5 | 4,5 | 5,7 | Tapered

M 1.6
GM
 Grand Morse

M 1.4
Mini Pilar Cónico
 GM | CM

M 1.4
Micro Pilar
 GM | CM

Transepithelial abutments



Uniblock



0,8 8050
 1,5 6507
 2,5 8051
 3,5 6511
 4,5 8052
 5,5 6513



Angled abutment



3,0 8053
 4,0 7167
 5,0 7168



4,0 8054
 5,0 7169
 6,0 7170



Angled
 abutment screw



7171



Prosthetic
 screw M 1,40



6516

6517

6518

Scanbodies



Scanbody



6500

6502

6503

Analogs



Digital
 analog

6496

6498

6499

Titanium bases



Cutttable titanium
 base



0,8 8010
 1,5 6504
 3,0 6505



0,8 8011
 1,5 6508
 3,0 6509



Angulation
 correction
 titanium base



0,8 8012
 1,5 6532
 2,5 6533



0,8 8013
 1,5 6534
 2,5 6535



M 1.6
GM
Grand Morse

M 1.4
Mini Pilar Cónico
GM | CM

M 1.4
Micro Pilar
GM | CM

Premills



Premill



Ti
CoCr

6538

6539

Screws



Screw



6514



Angulation
correction Titanium
base screw



6519

6520



Bridge, full arch
and Titanium
bases screw



6515

6517

6518



Bridge and full arch
angulation correction
screw



6521

6520

6520

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Klockner®**

Essential®

Cone | Octacone | Abutment

M 1.8
Essential Cone
4,5

M 1.8
Essential Cone
6,0

M 1.8
Octacone EC 12°
4,5

M 1.8
Octacone EC 12°
6,0

M 1.8
Pilar EC
25°

Scanbodies

 Scanbody 	6549	6549	6550	6550	6551
Analogs					
 Digital/traditional analog	6543	6544	6545	6546	6547
Screws					
 Screw 	6522	6522	6541	6541	6542
 Angulation correction Titanium base screw 	6585	6585	6586	6586	6588
 Bridge and full arch screw 	6526	6526	6527	6527	6529
 Bridge and full arch angulation correction screw 	6589	6589	6590	6590	6592



M 1.4
Multicone

M 1.6
**MV 3,0
 Yellow**

M 1.6
**NV 3,5
 Purple**

M 1.8
**RV 4,0 | 4,5
 Blue | Grey**

M 1.8
**NK2 | SK2
 4.2**

Scanbodies

			M 1.4 Multicone	M 1.6 MV 3,0 Yellow	M 1.6 NV 3,5 Purple	M 1.8 RV 4,0 4,5 Blue Grey	M 1.8 NK2 SK2 4.2
 Scanbody 		6552	6617	6618	6619	6613	
Analogs							
 Digital/traditional analog		6548	6614	6615	6616	6600	
Screws							
 Screw		6599	6620	6620	6621	6530	
 Angulation correction Titanium base screw		6587	-	6624	6625	6609	
 Bridge and full arch screw		6528	-	6622	6623	6531	
 Bridge and full arch angulation correction screw		6591	-	6626	6627	6610	

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Zicom®**

Zicnic®

NP | RP | WP | Pilar Basic

M 1.6
NP 3.2 Yellow

M 1.8
RP 3.5 Blue

M 1.8
WP 4.5 Pink

M 1.8
Pilar Basic

Scanbodies



Scanbody




7102

7103

7104

7105

Analogs



Digital/traditional
 analog

7098

7099

7100

7101

Screws



Screw



7086

7087

7087

7088



Angulation
 correction Titanium
 base screw



-

7093

7093

7094



Bridge and
 full arch
 screw



-

7090

7090

7091



Bridge and full arch
 angulation correction
 screw



-

7096

7096

7097



M 2.0
Implante Tiny
3.5 Purple

M 2.0
Universal
4.1 Blue

M 2.0
Universal Plus
4.1 Yellow

M 2.0
Ancha

Scanbodies



Scanbody




2190

2510

2510

2195

Analogs



Digital analog

2110

2612

2612

2111



Traditional analog

1689

2598

2598

1690

Titanium bases



Titanium base




GH

0,8 1862

0,5 2256

0,5 2256

0,5 1863



GH

0,8 2205

0,5 2566

0,5 2566

0,5 2206

Premills



Premill



Ti

4770

4578

4578

4772

CoCr

4774

4577

4577

4776

Screws



Screw



0970

2505

2505

2505



Bridge and full arch screw



0970

2505

2505

2505



Bridge and full arch angulation correction screw



6738

6716

6716

6716

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **BTI®**

Interna

Universal | Plus | Ancha

M 1.8
**Universal
 4.1 Blue**

M 1.8
**Universal Plus
 4.1 Yellow**

M 1.8
**Ancha
 5.5 Green**

Scanbodies



Scanbody




2196

2196

2196

Analogs



Digital
 analog

2112

2112

2113



Traditional
 analog

1691

1691

1692

Titanium bases



Titanium base




GH 0,5 1864

0,5 1864

0,5 1865



GH 0,5 2207

0,5 2207

0,5 2208

Premills



Premill



Ti
 CoCr

4660

4660

4660

4662

4662

4662

Screws



Screw



2576

2576

2576



Bridge and
 full arch
 screw



2576

2576

2576



Bridge and full arch
 angulation correction
 screw



6717

6717

6717



M 1.4
Multi-IM 4,1

M 1.4
Multi-IM 5,5

Scanbodies



Scanbody



2197

2363

Analogs



Digital analog

2137

2446



Traditional analog

2092

2432

Titanium bases



Titanium base



GH

0,5 2265

0,5 2445

Screws



Bridge and full arch screw



1977

1977



Bridge and full arch angulation correction screw



6718

6718

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **CAMLOG®**

Screw-Line

3,3 | 3,8 | 4,3 | 5,0 | 6,0

M 1.6
3,3 (Grey)

M 1.6
3,8 (Yellow)

M 1.6
4,3 (Red)

M 2.0
5,0 (Blue)

M 2.0
6,0 (Green)

Scanbodies



Scanbody




1832

1843

1844

1845

1845

Analogs



Digital analog

2126

2127

2128

2129

2130



Traditional analog

1705

1706

1707

1708

1709

Titanium bases



Titanium base




GH

0,8 1969

08 1970

0,5 1971

0,5 1972

0,5 1973



GH

0,8 2252

0,8 2253

0,5 2254

0,5 2255

0,5 4566

Premills



Premill



Ti

4819

4821

4823

4825

4825

CoCr

-

6293

6294

-

-

Screws



Screw



2391

2391

2391

2394

2394



Bridge and full arch screw



2367

2367

2367

2370

2370



Bridge and full arch angulation correction screw



6742

6742

6742

6743

6743



M 1.6

4,3

M 2.0

6,0

Scanbodies



Scanbody




2285

2305

Analogs



Digital analog

2716

2717

Titanium bases



Titanium base




0,5 2722

0,5 2723

Screws



Screw



2708

2709



Bridge and full arch
angulation correction
screw



6725

6726

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Bego Semados®**

Bego Semados

S 3,25-3,75-4,1 | RI 4,5 | S 5,5

M 1.8
S 3,25-3,75-4,1
RI 3,75 | 4,1

M 1.8
RI 4,5

M 1.8
S 5,5 | RI 5,5

Scanbodies



Scanbody




1873

1873

1873

Analogs



Digital
 analog

2453

2454

2455

Titanium bases



Titanium base




GH

0,55 2403

0,55 2403

0,10 2404



GH

0,55 2374

0,55 2374

0,10 2375

Premills



Premill



Ti

4611

4611

4611

CrCo

4613

4613

4613

Screws



Screw



2537

2537

2537



Bridge and
 full arch
 screw



2685

2685

2685



Bridge and full arch
 angulation correction
 screw



6741

6741

6741



M 1.4
PF 3,5
Yellow

M 1.6
PF 4,0
Green

M 1.6
PF 4,5
Blue

M 1.6
PF 5,0
Grey

M 1.6
PF 6,0
Purple

Scanbodies



Scanbody




2358

2359

2360

2361

2362

Analogs



Digital/traditional
analog

2347

2348

2349

2350

2354

Premills



Premill



4572

4573

4574

4575

4576

4705

4707

4709

4711

4713

Screws



Screw



2396

2397

2397

2397

2397



Bridge and
full arch
screw



2372

2373

2373

2373

2373



Bridge and full arch
angulation correction
screw



6744

6745

6745

6745

6745

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
 Non-engaging 

Compatible with **Sweden & Martina®**

Premium Kohno

3,3 | 3,8 | 4,25 | 5,0 | 6,0

M 1.8
PK 3,3
Blue

M 1.8
PK 3,8
Green

M 2.0
PK 4,25
Navy

M 2.0
PK 5,0
Pink

M 2.0
PK 6,0
Grey

Scanbodies



Scanbody




4426

4413

4515

4532

4532

Analogs



Digital analog

4428

4415

4517

4534

4563



Traditional analog

4427

4414

4416

4533

4562

Titanium bases



Titanium base




GH

0,8 4429

0,8 4416

0,8 4518

0,8 4535

0,8 4564



GH

0,8 4430

0,8 4417

0,8 4519

0,8 4536

0,8 4565

Premills



Premill



Ti

4431

4437

4520

4537

4537

CrCo

4432

4438

4521

4538

4538

Screws



Screw



4418

4418

4522

4522

4522



Bridge and full arch screw



4439

4439

4523

4523

4523



Bridge and full arch angulation correction screw



6733

6733

6734

6734

6734



M 1.8
TG M 4,8

M 2.0
TG W 5,8

Scanbodies



Scanbody



4486

4505

Analogs



Digital analog

4488

4507



Traditional analog

4487

4506

Titanium bases



Titanium base



0,8 4489

0,8 4490

0,8 4508

0,8 4509

Premills



Premill



Ti

CrCo

4491

4492

4510

4511

Screws



Screw



4493

4512



Bridge and full arch screw



4494

4513



Bridge and full arch angulation correction screw



6735

6736

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Accessories
and specifications

Accessories

Screwdrivers and other accessories

Avinent and other brands

			Reference
Box			
	Minibox		0526
	Minibox Support		0527
	Key dynamometric		0295
Screwdrivers and others			
	Screwdriver ISO 1797 (048)	18 mm	0644
		22 mm	0277
		30 mm	0645
	Gold screw Screwdriver ISO 1797 Rhein 83 Sobredentadura 		0263
	Short screw Screwdriver ISO 1797 		0267
	Closed tray impression coping Screwdriver ISO 1797 		0723
	Slim Transepithelial abutment Screwdriver ISO 1797 	22 mm	7944
		30 mm	8093
	Transepithelial abutment Screwdriver ISO 1797 	22 mm	0328
		30 mm	0726
	Angled Transepithelial abutment Screwdriver ISO 1797 	25 mm	0804
		30 mm	0648
	G2 Angulation correction Screwdriver 	24 mm	5184
		32 mm	5185
	Handle Screwdriver ISO 1797	S	0791
		L	0790
	Monoblock Screwdriver (048) 	S	0274
		L	0275
	Analog new driver*	M 1,4	7961
		M 1,6	7962
		M 1,8	7963
		M 2,0	7964
		M 2,5	7965

Overdenture Accesories Rhein 83[®]

	Processor pack (2 units)	Maximum divergences of 25°	3317	
	Processor pack SmartBox	Maximum divergences of 30°	4210	
	SmartBox Housing	Maximum divergences of 30°	4211	
	Tool of insertion and extraction		4209	
	Impression coping (2 units)		3318	
	Analog		3319	
	Male replacement lilac (2,7 Kgf)	Blister of 4 units	3322	
	Male replacement white (1,8 Kgf)	Blister of 4 units	3323	
	Male replacement pink (1,2 Kgf)	Blister of 4 units	3324	
	Male replacement yellow (0,6 Kgf)	Blister of 4 units	3325	
	Male replacement black (Only labs)	Blister of 4 units	4695	
	SmartBox replacement black (Only labs)	Blister of 4 units	4212	

Remember that:

Measurements are indicated in mm.

All scanning abutments are valid for laboratory scanners and intraoral scanners

The availability of the products in this catalog may vary by country. Contact us for more information

* See the driver and analog compatibility table on page 99

Overdenture AccesoriesLocator®

	Processor pack (2 units)		0368	
	Major tool		0371	
	Impression coping	Blister of 4 units	0369	
	Analog	Blister of 4 units	0370	
	Male replacement white (2,27 Kgf)	Blister of 4 units	0363	
	Male replacement pink (1,36 Kgf)	Blister of 4 units	0364	
	Male replacement blue (0,68 Kgf)	Blister of 4 units	0365	
	Male replacement green (divergent)	Blister of 4 units	0366	
	Male replacement red (light divergent)	Blister of 4 units	0367	

Reference

Overdenture Accesories Locator R-TX®

	Retention of indicted	Blister of 4 units		4998	
	Major tool			5006	
	Impression coping	Blister of 4 units		5004	
	Analog	Blister of 4 units	GH	3,35	5001
				4,0	5002
				5,0	5003
	Zero retention	Blister of 4 units		4994	
	Low retention	Blister of 4 units		4995	
	Medium retention	Blister of 4 units		4996	
	High retention	Blister of 4 units		4997	
	Spacer indicted	Blister of 4 units		5005	
	Spacer ring	20 units		4999	
	Screwdriver			5746	
	Cap indicted	Blister of 4 units		5000	

Accessories

Premills

Avinent and other brands

Avinent Premills Production Kit - 6142


Avinent has developed the Production Kit for pre-mills to make your clients' work more easy and efficient. The kit contains everything you need to operate your pre-milled abutment equipment, including the possibility of producing up to eight titanium or cobalt chrome units at a time.

The Avinent pre-mills production kit comes in a box with all the accessories available and also incorporates a USB with milling strategies perfect to avoid errors from day one.

The Avinent CAD CAM components catalog has over 60 different pre-milled connections available, either titanium or cobalt chrome, for that you can do all your work without exception.



- You can make up to 8 units **at a time**.
- **High capacity** and fast production
- **From CAD to CAM:** developed with a focus integral part of a fully digital process.
- Milling strategies are developed to ensure a **high quality emergence profile**.
- **Available for milling machines** imes-icore CORiTEC 350I, imes-icore CORiTEC 650I and DMG.



Remember that:

*Extra adapter needed to use the Pre-mill Production Kit for DMG milling machines.

Compliance with labeling requirements

Products are supplied with labeling and instructions to ensure safe and correct use of the product in accordance with its intended use.

The content of the product labeling has been established in accordance with the regulatory requirements of Regulation (EU) 2017/745 and the requirements of the standards applicable to medical devices.

Includes the following symbols:

	Manufacturer
	Manufacturing date
	Lot code
	Reference number
	CE marking for class I products
	CE symbol for class Ir, IIa and IIb products
 ifu.avinent.com	Consult instructions for use
	No-sterile
	Do not reuse
	Unique product identifier
	Data Matrix (UDI - Identifier support unique of the products) (01) 08435452ZZZZZ (UDI-DI - GTIN number) (10) AVXXXXXXXX (Lot number) (11) YYMMDD (Manufacturer date) (240) RRRR (Catalog number)
	Indication that the product is a medical device (Medical Device)
Rx only	Under medical prescription (USA only)
	Distributor
	Importer

Recommended torques

Technical specifications

Avinent and other brands

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
0076	AVINENT® EC 3,5 & IC 3,5/4,1 Tornillo	Ø3,5 / Ø4,1	Conical	M1,80	0277 / 0644 / 0645	35
0010	AVINENT® EC 4,1 Tornillo	Ø4,1	Conical	M2,00	0277 / 0644 / 0645	35
0077	AVINENT® EC 5,1 Tornillo	Ø5,1	Conical	M2,50	0277 / 0644 / 0645	35
0570	AVINENT® EC 4,1 Tornillo (Corto)	Ø4,1	Conical	M2,00	0277 / 0644 / 0645	35
0568	AVINENT® EC 3,5 & IC 3,5/4,1 Tornillo (Corto)	Ø3,5 / Ø4,1	Conical	M1,80	0277 / 0644 / 0645	35
0572	AVINENT® EC 5,1 Tornillo (Corto)	Ø5,1	Conical	M2,50	0277 / 0644 / 0645	35
2802	AVINENT® EC 3,5 & IC 3,5/4,1 Tornillo (Múltiples)	Ø3,5 / Ø4,1	Flat	M1,80	0277 / 0644 / 0645	35
2803	AVINENT® EC 4,1 Tornillo (Múltiples)	Ø4,1	Flat	M2,00	0277 / 0644 / 0645	35
2804	AVINENT® EC 5,1 Tornillo (Múltiples)	Ø5,1	Flat	M2,50	0277 / 0644 / 0645	35
3466	AVINENT® CC 3,5 & CC.I 3,5 Tornillo	Ø3,5	Conical	M1,60	0277 / 0644 / 0645	35
3467	AVINENT® CC 4,1 & CC.I 4,1 Tornillo	Ø4,1	Conical	M2,00	0277 / 0644 / 0645	35
3045	AVINENT® CC 3,5 & CC.I 3,5 Tornillo (Múltiples)	Ø3,5	Flat	M1,60	0277 / 0644 / 0645	35
3046	AVINENT® CC 4,1 & CC.I 4,1 Tornillo (Múltiples)	Ø4,1	Flat	M2,00	0277 / 0644 / 0645	35
5348	AVINENT® PEARL Tornillo	Ø3,5	Conical	M1,60	0277 / 0644 / 0645	35
0306	AVINENT® Transepitelial 4,8 Tornillo	Transepitelial Ø4,8	Flat	M1,40	0277 / 0644 / 0645	15
8087	AVINENT® Transepitelial 3,6 Tornillo	Transepitelial Ø3,6	Flat	M1,80	0277 / 0644 / 0645	30
1901	Nobel® Active NP/Brånemark NP Tornillo	Brånemark NP / Active NP	Conical	M1,60	Original Screwdriver	35
1881	Nobel® Brånemark RP Tornillo	Brånemark RP	Flat	M2,00	Original Screwdriver	35
1882	Nobel® Brånemark WP Tornillo	Brånemark WP	Flat	M2,50	Original Screwdriver	35
1880	Nobel® Brånemark NP Tornillo (Múltiples)	Brånemark NP	Flat	M1,60	Original Screwdriver	35
1885	Nobel® Replace NP Tornillo	Replace NP	Flat	M1,80	Original Screwdriver	35
1886	Nobel® Replace RP/WP/6,0 Tornillo	Replace RP/WP/6,0	Flat	M2,00	Original Screwdriver	35
1883	Nobel® Multi-unit NP/RP Tornillo (Múltiples)	Brånemark Multi-unit NP / RP	Flat	M1,40	Original Screwdriver	15
1884	Nobel® Multi-unit WP Tornillo (Múltiples)	Brånemark Multi-unit WP	Flat	M1,80	Original Screwdriver	35
2844	Nobel® Active 3,0 Tornillo	Active 3,0	Conical	M1,40	Original Screwdriver	15
1902	Nobel® Active RP/WP Tornillo	Active RP/WP	Conical	M2,00	Original Screwdriver	35
1887	Nobel® Active NP Tornillo (Múltiples)	Active NP	Flat	M1,60	Original Screwdriver	35
1903	Straumann® RN/WN Tornillo	RN / WN	Conical	M2,00	Original Screwdriver	35
1904	Straumann® RN/WN synOcta Tornillo	synOcta RN 4,8 / WN 6,5	Conical	M2,00	Original Screwdriver	35
1889	Straumann® RN/WN Tornillo (Múltiples)	RN / WN	Flat	M2,00	Original Screwdriver	35
1890	Straumann® RN/WN synOcta Tornillo (Múltiples)	synOcta RN 4,8 / WN 6,5	Flat	M2,00	Original Screwdriver	35
1905	Straumann® Bone Level NC/RC Tornillo	NC / RC	Conical	M1,60	Original Screwdriver	35
1891	Straumann® Bone Level NC/RC Tornillo (Múltiples)	NC / RC	Flat	M1,60	Original Screwdriver	35
1892	Straumann® Multi-Base NC/RC Tornillo (Múltiples)	Multi-Base NC 3,5 / NC 4,5 / RC 3,5 / RC 4,5	Flat	M1,40	Original Screwdriver	15
2471	Biomet 3i™ Hex 3,25/4,0/5,0/6,0 Tornillo	External 3,25 / 4,0 / 5,0 / 6,0	Flat	M2,00	Original Screwdriver	20
1510	Biomet 3i™ Internal Certain Tornillo	Internal 3,4 / 4,1 / 5,0 / 6,0	Flat	M1,60	Original Screwdriver	20

1513	Biomet 3i™ Internal Certain Tornillo (Múltiples)	Internal 3,25 / 4,0 / 5,0 / 6,0	Flat	M1,60	Original Screwdriver	20
1909	Zimmer® TSV 3,5/4,5/5,7mmD Tornillo	TSV 3,5/4,5/5,7	Conical	M1,80	Original Screwdriver	30
1896	Zimmer® TSV 3,5/4,5/5,7mmD Tornillo (Múltiples)	TSV 3,5/4,5/5,7	Flat	M1,80	Original Screwdriver	30
1942	Zimmer® Tapered Abutment Tornillo (Múltiples)	Tapered Screw-Vent	Flat	M1,80	Original Screwdriver	20
2712	BIOHORIZONS® 3,0mm Tornillo	Internal 3,0	Conical	M1,80	Original Screwdriver	30
4603	BIOHORIZONS® 3,0mm Tornillo Base Titano	Internal 3,0	Conical	M1,80	Original Screwdriver	30
2632	BIOHORIZONS® 3,5/4,5/5,7mm Tornillo	Internal 3,5 / 4,5 / 5,7	Conical	M1,80	Original Screwdriver	30
2630	BIOHORIZONS® 3,0/3,5/4,5/5,7mm Tornillo (Múltiples)	Internal 3,0 / 3,5 / 4,5 / 5,7	Flat	M1,80	Original Screwdriver	30
1874	MIS® Internal Hex. Narrow Tornillo	Narrow Platform	Conical	M1,60	Original Screwdriver	30
2633	MIS® Internal Hex. Stndrd/Wide Tornillo	Standard Platform / Wide Platform	Conical	M1,80	Original Screwdriver	30
2631	MIS® Internal Hex. Stndrd/Wide Tornillo (Múltiples)	Standard Platform / Wide Platform	Flat	M1,80	Original Screwdriver	30
4388	MIS® Multi-Unit Tornillo (Múltiples)	MIS Multi-unit	Flat	M1,60	Original Screwdriver	25
1906	Dentsply Astra™ Yellow 3,0 Tornillo	Osseospeed 3,0	Conical	M1,40	Original Screwdriver	15
1894	Dentsply Astra™ Aqua 3,5/4,0 Tornillo	Osseospeed 3,5-4,0	Flat	M1,60	Original Screwdriver	20
1895	Dentsply Astra™ Lilac 4,5/5,0 Tornillo	Osseospeed 4,5-5,0	Flat	M2,00	Original Screwdriver	25
1893	Dentsply Astra™ Yellow 3,0 Tornillo (Múltiples)	Osseospeed 3,0	Flat	M1,40	Original Screwdriver	15
1941	Dentsply Astra™ 20°/45° UniA Tornillo (Múltiples)	Dentsply UniAbutment 20°	Flat	M1,40	Original Screwdriver	15
2365	Dentsply Ankylos® BBA C/Narrow Tornillo (Múltiples)	Dentsply UniAbutment 45°	Flat	M1,60	Original Screwdriver	15
2376	Dentsply XiVE® D3,0 Tornillo	Xive D 3,0	Conical	M1,40	Original Screwdriver	15
2694	Dentsply XiVE® 3,4/3,8/4,5/5,5 Tornillo	Xive D 3,0 / 3,4 / 3,8 / 4,5 / 5,5	Conical	M1,60	Original Screwdriver	25
2384	Dentsply XiVE® D3,0 Tornillo (Múltiples)	Xive D 3,0	Flat	M1,40	Original Screwdriver	15
2066	Dentsply XiVE® 3,4/3,8/4,5/5,5 Tornillo (Múltiples)	Xive D 3,0 / 3,4 / 3,8 / 4,5 / 5,5	Flat	M1,60	Original Screwdriver	25
2379	Dply XiVE® MP D3,4/3,8/4,5/5,5 Tornillo (Múltiples)	Xive MP D 3,4 / 3,8 / 4,5 / 5,5	Flat	M1,60	Original Screwdriver	20
0970	BTI® Externa Tiny Tornillo	Tiny	Flat	M2,00	Original Screwdriver	20
2505	BTI® Externa Universal/Wide Tornillo	Universal/Wide	Flat	M2,00	Original Screwdriver	20
2576	BTI® Interna Universal/Wide Tornillo	Universal/Wide	Flat	M1,80	Original Screwdriver	35
1977	BTI® Multi-IM Tornillo (Múltiples)	BTI Multi-IM 4,1 / 5,5	Flat	M1,40	Original Screwdriver	20
2537	BEGO® Ø3,25/3,75/4,1/4,5/5,5 Tornillo	S 3,25-3,75-4,1 RI 3,75 4,1 / RI 4,5 / S 5,5 RI 5,5	Conical	M1,80	Original Screwdriver	30
2685	BEGO® Ø3,25/3,75/4,1/4,5/5,5 Tornillo (Múltiples)	S 3,25-3,75-4,1 RI 3,75 4,1 / RI 4,5 / S 5,5 RI 5,5	Flat	M1,80	Original Screwdriver	30
2391	Camlog® Screw-Line 3,3/3,8/4,3 Tornillo	3,3 (Grey) / 3,8 (Yellow) / 4,3 (Red)	Conical	M1,60	Original Screwdriver	20
2394	Camlog® Screw-Line Ø5,0/6,0 Tornillo	5,0 (Blue) / 6,0 (Green)	Conical	M2,00	Original Screwdriver	20
2367	Camlog® Screw-Line 3,3/3,8/4,3 Tornillo (Múltiples)	3,3 (Grey) / 3,8 (Yellow) / 4,3 (Red)	Flat	M1,60	Original Screwdriver	20

Recommended torques

Technical specifications

Avinent and other brands

2370	Camlog® Screw-Line Ø5,0/6,0 Tornillo (Múltiples)	5,0 (Blue) / 6,0 (Green)	Flat	M2,00	Original Screwdriver	20
2708	Camlog® Bar Abutment Ø4,3 Tornillo (Múltiples)	Bar Abut. 4,3	Flat	M1,60	Original Screwdriver	15
2709	Camlog® Bar Abutment Ø6,0 Tornillo (Múltiples)	Bar Abut. 6	Flat	M2,00	Original Screwdriver	15
2396	©Thommen SPI® PF Ø3,5 Tornillo	PF 3,5	Conical	M1,40	Original Screwdriver	15
2397	©Thommen SPI® Ø4,0/4,5/5,0/6,0 Tornillo	PF 4,0 / 4,5 / 5,0 / 6,0	Conical	M1,60	Original Screwdriver	20
2372	©Thommen SPI® PF Ø3,5 Tornillo (Múltiples)	PF 3,5	Flat	M1,40	Original Screwdriver	15
2373	©Thommen SPI® Ø4,0/4,5/5,0/6,0 Tornillo (Múltiples)	PF 4,0 / 4,5 / 5,0 / 6,0	Flat	M1,60	Original Screwdriver	20
4418	S&M Premium Kohno Ø3,3/3,8 Tornillo	PF 3,3 / 3,8	Conical	M1,80	Original Screwdriver	20
4522	S&M Premium Kohno 4,25/5,0/6,0 Tornillo	PF 4,25 / 5,0 / 6,0	Conical	M2,00	Original Screwdriver	20
4439	S&M Premium Kohno Ø3,3/3,8 Tornillo (Múltiples)	PF 3,3 / 3,8	Flat	M1,80	Original Screwdriver	20
4523	S&M Premium Kohno 4,25/5,0/6,0 Tornillo (Múltiples)	PF 4,25 / 5,0 / 6,0	Flat	M2,00	Original Screwdriver	20
4493	S&M Premium Kohno TG M Tornillo	TG M 4,8	Conical	M1,80	Original Screwdriver	20
4512	S&M Premium Kohno TG W Tornillo	TG W 5,8	Conical	M2,00	Original Screwdriver	20
4494	S&M Premium Kohno TG M Tornillo (Múltiples)	TG M 4,8	Flat	M1,80	Original Screwdriver	20
4513	S&M Premium Kohno TG W Tornillo (Múltiples)	TG W 5,8	Flat	M2,00	Original Screwdriver	20
7086	ZIACOM® Zinic® NP Screw	Zinic NP	Conical	M1,60	Original Screwdriver	30
7087	ZIACOM® Zinic® RP/WP Screw	Zinic RP	Conical	M1,80	Original Screwdriver	30
7088	ZIACOM® Zinic® Pilar Basic Screw	Pilar Basic	Conical	M1,80	Original Screwdriver	25
7090	ZIACOM® Zinic® RP/WP Screw (Multiple)	Zinic RP	Flat	M1,80	Original Screwdriver	30
7091	ZIACOM® Zinic® Pilar Basic Screw (Multiple)	Pilar Basic	Flat	M1,80	Original Screwdriver	25
6514	Neodent® GM (Grand Morse) Screw	GM	Conical	M1,60	Original Screwdriver	20
6515	Neodent® GM (Grand Morse) Screw (Multiple)	GM	Flat	M1,60	Original Screwdriver	20
6516	Neodent® GM (Grand Morse) Prosthetic Screw	GM	Flat	M1,40	Original Screwdriver	10
6517	Neodent® GM Mini Conical Abut. Prosthetic Screw	Mini Abut.	Flat	M1,40	Original Screwdriver	10
6518	Neodent® GM Micro Abut. Prosthetic Screw	Micro Abut.	Flat	M1,40	Original Screwdriver	10
6522	Klockner® Essential® Cone Screw	Essential Cone	Conical	M1,80	Original Screwdriver	30
6526	Klockner® Essential® Cone Screw (Multiple)	Essential Cone	Flat	M1,80	Original Screwdriver	25
6527	Klockner® Octacone® EC12o Screw (Multiple)	Essential Octacone	Flat	M1,80	Original Screwdriver	25
6599	Klockner® Multicone Screw	Multicone	Conical	M1,80	Original Screwdriver	15
6528	Klockner® Multicone Screw (Multiple)	Multicone	Flat	M1,40	Original Screwdriver	15
6529	Klockner® Abut. EC25° Screw (Multiple)	Abut. EC25°	Flat	M1,80	Original Screwdriver	25
6530	Klockner® NK2/SK2 Screw	NK2/SK2	Conical	M1,80	Original Screwdriver	25
6531	Klockner® NK2/SK2 Screw (Multiple)	NK2/SK2	Flat	M1,80	Original Screwdriver	25
6541	Klockner® Octacone® EC12o Screw	Essential Octacone	Conical	M1,80	Original Screwdriver	25

6542	Klockner® Abut. EC25° Screw	Abut. EC25°	Conical	M1,80	Original Screwdriver	25
6620	Klockner® VEGA®/+ MV/NV Screw	VEGA MV	Conical	M1,60	Original Screwdriver	25
6621	Klockner® VEGA®/+ RV Screw	VEGA RV	Conical	M1,80	Original Screwdriver	30
6622	Klockner® VEGA®/+ NV Screw (Multiple)	VEGA NV	Flat	M1,60	Original Screwdriver	25
6623	Klockner® VEGA®/+ RV Screw (Multiple)	VEGA RV	Flat	M1,80	Original Screwdriver	30

Transepithelial Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
0190	Pilar Transepithelial EC 4,1 GH1 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0193	Pilar Transepithelial EC 4,1 GH2 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0196	Pilar Transepithelial EC 4,1 GH3 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0199	Pilar Transepithelial EC 4,1 GH4 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0202	Pilar Transepithelial EC 4,1 GH5 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0765	Pilar Transepithelial IC 3,5/4,1 GH1 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0766	Pilar Transepithelial IC 3,5/4,1 GH2 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0767	Pilar Transepithelial IC 3,5/4,1 GH3 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0768	Pilar Transepithelial IC 3,5/4,1 GH4 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0769	Pilar Transepithelial IC 3,5/4,1 GH5 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
2464	Pilar Transepithelial EC 3,5 GH1 (Uniblock)	Ø3,5	Flat	M1,80	0328 / 0726	35
2465	Pilar Transepithelial EC 3,5 GH2 (Uniblock)	Ø3,5	Flat	M1,80	0328 / 0726	35
2466	Pilar Transepithelial EC 3,5 GH3 (Uniblock)	Ø3,5	Flat	M1,80	0328 / 0726	35
3108	Pilar Transepithelial CC 3,5 GH1,5 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3109	Pilar Transepithelial CC 3,5 GH2 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3110	Pilar Transepithelial CC 3,5 GH3 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3112	Pilar Transepithelial CC 3,5 GH5 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3113	Pilar Transepithelial CC 4,1 GH1,5 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35
3114	Pilar Transepithelial CC 4,1 GH2 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35
3115	Pilar Transepithelial CC 4,1 GH3 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35

Recommended torques

Technical specifications

Avinent and other brands

3117	Pilar Transepitelial CC 4,1 GH5 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35
5980	Pilar Transepitelial CC.I 3,5 GH1,2 (Uniblock)	Ø3,5	Flat	M1,60	0328 / 0726	35
5981	Pilar Transepitelial CC.I 3,5 GH3,2 (Uniblock)	Ø3,5	Flat	M1,60	0328 / 0726	35
5982	Pilar Transepitelial CC.I 4,1 GH1,2 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
5983	Pilar Transepitelial CC.I 4,1 GH3,2 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0220	Pilar Transepitelial EC 4,1 GH0,5 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0222	Pilar Transepitelial EC 4,1 GH1 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0225	Pilar Transepitelial EC 4,1 GH2 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0228	Pilar Transepitelial EC 4,1 GH3 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0231	Pilar Transepitelial EC 4,1 GH4 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0234	Pilar Transepitelial EC 4,1 GH5 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0816	Pilar Transepitelial IC 3,5/4,1 GH1 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0817	Pilar Transepitelial IC 3,5/4,1 GH2 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0818	Pilar Transepitelial IC 3,5/4,1 GH3 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0819	Pilar Transepitelial IC 3,5/4,1 GH4 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0820	Pilar Transepitelial IC 3,5/4,1 GH5 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
2478	Pilar Transepitelial EC 3,5 GH1 Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
2479	Pilar Transepitelial EC 3,5 GH2 Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
3119	Pilar Transepitelial CC 3,5 GH2 Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3120	Pilar Transepitelial CC 3,5 GH3 Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3124	Pilar Transepitelial CC 4,1 GH2 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
3125	Pilar Transepitelial CC 4,1 GH3 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0204	Pilar Transepitelial EC 4,1 GH0,5 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0206	Pilar Transepitelial EC 4,1 GH1 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0209	Pilar Transepitelial EC 4,1 GH2 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0212	Pilar Transepitelial EC 4,1 GH3 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0215	Pilar Transepitelial EC 4,1 GH4 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0218	Pilar Transepitelial EC 4,1 GH5 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35

0821	Pilar Transepitelial IC 3,5/4,1 GH1 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0822	Pilar Transepitelial IC 3,5/4,1 GH2 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0823	Pilar Transepitelial IC 3,5/4,1 GH3 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0824	Pilar Transepitelial IC 3,5/4,1 GH4 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0825	Pilar Transepitelial IC 3,5/4,1 GH5 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
2480	Pilar Transepitelial EC 3,5 GH1 No Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
2481	Pilar Transepitelial EC 3,5 GH2 No Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
3129	Pilar Transepitelial CC 3,5 GH2 No Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3130	Pilar Transepitelial CC 3,5 GH3 No Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3134	Pilar Transepitelial CC 4,1 GH2 No Rotatorio	Ø4,1	Flat	M1,80	0328 / 0726	35
3135	Pilar Transepitelial CC 4,1 GH3 No Rotatorio	Ø4,1	Flat	M1,80	0328 / 0726	35
5984	Pilar Transepitelial CC.I 3,5 GH1,2 No Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
5985	Pilar Transepitelial CC.I 4,1 GH1,2 No Rotatorio	Ø4,1	Flat	M1,80	0328 / 0726	35
8094	Pilar Transepitelial EC 4,1 GH2 (Uniblock)	Ø4,1	Flat	M2,0	7944 / 8093	35
7933	Pilar Transepitelial IC 3,5/4,1 GH1 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	7944 / 8093	35
7945	Pilar Transepitelial EC 3,5 GH2 (Uniblock)	Ø3,5	Flat	M1,80	7944 / 8093	35
7938	Pilar Transepitelial CC 3,5 GH1 (Uniblock)	Ø3,5	Conical	M1,60	7944 / 8093	35
6024	Nobel Biocare® Active NP Pil. Transep. GH1,5 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6025	Nobel Biocare® Active NP Pilar Transep. GH2 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6026	Nobel Biocare® Active NP Pilar Transep. GH3 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6027	Nobel Biocare® Active NP Pilar Transep. GH5 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6028	Nobel Biocare® Active RP Pil. Transep. GH1,5 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6029	Nobel Biocare® Active RP Pilar Transep. GH2 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6030	Nobel Biocare® Active RP Pilar Transep. GH3 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6031	Nobel Biocare® Active RP Pilar Transep. GH5 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6867	Nobel Biocare® Brånemark NP Pilar Transep. GH1 (Uniblock)	Brånemark NP	Flat	M1,60	Original Screwdriver	35
6868	Nobel Biocare® Brånemark NP Pilar Transep. GH2 (Uniblock)	Brånemark NP	Flat	M1,60	Original Screwdriver	35
6869	Nobel Biocare® Brånemark NP Pilar Transep. GH3 (Uniblock)	Brånemark NP	Flat	M1,60	Original Screwdriver	35

Recommended torques

Technical specifications

Avinent and other brands

6874	Nobel Biocare® Brånemark RP Pilar Transep. GH5 (Uniblock)	Brånemark RP	Flat	M2,00	Original Screwdriver	35
6032	Straumann® Bone Level NC Pil. Transep. GH1,5 (Uniblock)	NC	Conical	M1,60	Original Screwdriver	35
6033	Straumann® Bone Level NC Pil. Transep. GH2,5 (Uniblock)	NC	Conical	M1,60	Original Screwdriver	35
6034	Straumann® Bone Level NC Pil. Transep. GH3,5 (Uniblock)	NC	Conical	M1,60	Original Screwdriver	35
6035	Straumann® Bone Level RC Pil. Transep. GH1,5 (Uniblock)	RC	Conical	M1,60	Original Screwdriver	35
6036	Straumann® Bone Level RC Pil. Transep. GH2,5 (Uniblock)	RC	Conical	M1,60	Original Screwdriver	35
6037	Straumann® Bone Level RC Pil. Transep. GH3,5 (Uniblock)	RC	Conical	M1,60	Original Screwdriver	35
6146	Biomet 3i™ Certain 3,4 Pilar Transep. GH1 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6147	Biomet 3i™ Certain 3,4 Pilar Transep. GH2 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6148	Biomet 3i™ Certain 3,4 Pilar Transep. GH3 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6149	Biomet 3i™ Certain 3,4 Pilar Transep. GH4 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6150	Biomet 3i™ Certain 4,1 Pilar Transep. GH1 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6151	Biomet 3i™ Certain 4,1 Pilar Transep. GH2 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6152	Biomet 3i™ Certain 4,1 Pilar Transep. GH3 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6153	Biomet 3i™ Certain 4,1 Pilar Transep. GH4 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6157	Zimmer® TSV 3,5mmD Pilar Transep. GH1 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6158	Zimmer® TSV 3,5mmD Pilar Transep. GH2 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6159	Zimmer® TSV 3,5mmD Pilar Transep. GH3 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6160	Zimmer® TSV 3,5mmD Pilar Transep. GH4 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6161	Zimmer® TSV 3,5mmD Pilar Transep. GH5 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6154	Zimmer® TSV 4,5mmD Pilar Transep. GH1 (Uniblock)	TSV 4,5	Conical	M1,80	Original Screwdriver	30
6155	Zimmer® TSV 4,5mmD Pilar Transep. GH2 (Uniblock)	TSV 4,5	Conical	M1,80	Original Screwdriver	30
6156	Zimmer® TSV 4,5mmD Pilar Transep. GH3 (Uniblock)	TSV 4,5	Conical	M1,80	Original Screwdriver	30
6170	BIOHORIZONS® 3,5mm Pilar Transep. GH1 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6171	BIOHORIZONS® 3,5mm Pilar Transep. GH2 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6172	BIOHORIZONS® 3,5mm Pilar Transep. GH3 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6173	BIOHORIZONS® 3,5mm Pilar Transep. GH4 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6174	BIOHORIZONS® 3,5mm Pilar Transep. GH5 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30

6175	BIOHORIZONS® 4,5mm Pilar Transep. GH1 (Uniblock)	Internal 4,5	Conical	M1,80	Original Screwdriver	30
6176	BIOHORIZONS® 4,5mm Pilar Transep. GH2 (Uniblock)	Internal 4,5	Conical	M1,80	Original Screwdriver	30
6177	BIOHORIZONS® 4,5mm Pilar Transep. GH3 (Uniblock)	Internal 4,5	Conical	M1,80	Original Screwdriver	30
6162	MIS® Internal Hex. Standard Pilar Transep. GH1 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6163	MIS® Internal Hex. Standard Pilar Transep. GH2 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6164	MIS® Internal Hex. Standard Pilar Transep. GH3 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6165	MIS® Internal Hex. Standard Pilar Transep. GH4 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6166	MIS® Internal Hex. Standard Pilar Transep. GH5 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6167	MIS® Internal Hex. Wide Pilar Transep. GH1 (Uniblock)	Wide Platform	Conical	M1,80	Original Screwdriver	30
6168	MIS® Internal Hex. Wide Pilar Transep. GH2 (Uniblock)	Wide Platform	Conical	M1,80	Original Screwdriver	30
6169	MIS® Internal Hex. Wide Pilar Transep. GH3 (Uniblock)	Wide Platform	Conical	M1,80	Original Screwdriver	30
6300	Dentsply Astra™ Aqua 3,5/4,0 Pil. Transep. GH1,5 (Uniblock)	Osseospeed 3,5-4,0	Conical	M1,60	Original Screwdriver	20
6301	Dentsply Astra™ Aqua 3,5/4,0 Pil. Transep. GH2,5 (Uniblock)	Osseospeed 3,5-4,0	Conical	M1,60	Original Screwdriver	20
6302	Dentsply Astra™ Aqua 3,5/4,0 Pil. Transep. GH3,5 (Uniblock)	Osseospeed 3,5-4,0	Conical	M1,60	Original Screwdriver	20
6303	Dentsply Astra™ Lilac 4,5/5,0 Pil. Transep. GH1,5 (Uniblock)	Osseospeed 4,5-5,0	Conical	M2,00	Original Screwdriver	25
6304	Dentsply Astra™ Lilac 4,5/5,0 Pil. Transep. GH2,5 (Uniblock)	Osseospeed 4,5-5,0	Conical	M2,00	Original Screwdriver	25
6305	Dentsply Astra™ Lilac 4,5/5,0 Pil. Transep. GH3,5 (Uniblock)	Osseospeed 4,5-5,0	Conical	M2,00	Original Screwdriver	25

Rhein 83 Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
3268	RHEIN83® Pilar CC/CC.I 3,5 GH2	Ø3,5	Conical	M1,60	0263	25
3269	RHEIN83® Pilar CC/CC.I 3,5 GH3	Ø3,5	Conical	M1,60	0263	25
3270	RHEIN83® Pilar CC/CC.I 3,5 GH4	Ø3,5	Conical	M1,60	0263	25
3271	RHEIN83® Pilar CC/CC.I 3,5 GH5	Ø3,5	Conical	M1,60	0263	25
3272	RHEIN83® Pilar CC/CC.I 4,1 GH2	Ø4,1	Conical	M2,00	0263	25
3273	RHEIN83® Pilar CC/CC.I 4,1 GH3	Ø4,1	Conical	M2,00	0263	25
3274	RHEIN83® Pilar CC/CC.I 4,1 GH4	Ø4,1	Conical	M2,00	0263	25
3275	RHEIN83® Pilar CC/CC.I 4,1 GH5	Ø4,1	Conical	M2,00	0263	25
3478	RHEIN83® Pilar EC 3,5 GH2	Ø3,5	Flat	M1,80	0263	25
3479	RHEIN83® Pilar EC 3,5 GH4	Ø3,5	Flat	M1,80	0263	25
3276	RHEIN83® Pilar EC 4,1 GH2	Ø4,1	Flat	M2,00	0263	25
3277	RHEIN83® Pilar EC 4,1 GH3	Ø4,1	Flat	M2,00	0263	25

Recommended torques

Technical specifications

Avinent and other brands

3278	RHEIN83® Pilar EC 4,1 GH4	Ø4,1	Flat	M2,00	0263	25
3279	RHEIN83® Pilar EC 4,1 GH5	Ø4,1	Flat	M2,00	0263	25
3280	RHEIN83® Pilar EC 5,1 GH2	Ø5,1	Flat	M2,50	0263	25
3480	RHEIN83® Pilar EC 5,1 GH4	Ø5,1	Flat	M2,50	0263	25
3282	RHEIN83® Pilar IC 3,5/4,1 GH2	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
3283	RHEIN83® Pilar IC 3,5/4,1 GH3	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
3284	RHEIN83® Pilar IC 3,5/4,1 GH4	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
3285	RHEIN83® Pilar IC 3,5/4,1 GH5	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
4166	RHEIN83® Pilar PEARL Ø2,5 GH0,8	PEARL	Flat	M1,60	0263	25
4167	RHEIN83® Pilar PEARL Ø2,5 GH1,8	PEARL	Flat	M1,60	0263	25
4168	RHEIN83® Pilar PEARL Ø2,5 GH2,8	PEARL	Flat	M1,60	0263	25

Locator Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
2458	LOCATOR® Pilar EC 3,5 GH1 (01916)	Ø3,5	Flat	M1,80	0371	30
2459	LOCATOR® Pilar EC 3,5 GH2 (01917)	Ø3,5	Flat	M1,80	0371	30
2460	LOCATOR® Pilar EC 3,5 GH3 (01918)	Ø3,5	Flat	M1,80	0371	30
2461	LOCATOR® Pilar EC 3,5 GH4 (01919)	Ø3,5	Flat	M1,80	0371	30
2462	LOCATOR® Pilar EC 3,5 GH5 (01920)	Ø3,5	Flat	M1,80	0371	30
0352	LOCATOR® Pilar EC 4,1 GH0,73 (8681)	Ø4,1	Flat	M2,00	0371	30
0353	LOCATOR® Pilar EC 4,1 GH2 (8682)	Ø4,1	Flat	M2,00	0371	30
0354	LOCATOR® Pilar EC 4,1 GH3 (8683)	Ø4,1	Flat	M2,00	0371	30
0355	LOCATOR® Pilar EC 4,1 GH4 (8684)	Ø4,1	Flat	M2,00	0371	30
0356	LOCATOR® Pilar EC 4,1 GH5 (8685)	Ø4,1	Flat	M2,00	0371	30
0357	LOCATOR® Pilar EC 4,1 GH6 (8696)	Ø4,1	Flat	M2,00	0371	30
0358	LOCATOR® Pilar EC 5,1 GH1 (8825)	Ø5,1	Flat	M2,50	0371	30
0359	LOCATOR® Pilar EC 5,1 GH2 (8826)	Ø5,1	Flat	M2,50	0371	30
0360	LOCATOR® Pilar EC 5,1 GH3 (8827)	Ø5,1	Flat	M2,50	0371	30
0361	LOCATOR® Pilar EC 5,1 GH4 (8828)	Ø5,1	Flat	M2,50	0371	30
0362	LOCATOR® Pilar EC 5,1 GH5 (8829)	Ø5,1	Flat	M2,50	0371	30
0596	LOCATOR® Pilar IC 3,5/4,1 GH0 (2025)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0597	LOCATOR® Pilar IC 3,5/4,1 GH1 (2026)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0598	LOCATOR® Pilar IC 3,5/4,1 GH2 (2027)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0599	LOCATOR® Pilar IC 3,5/4,1 GH3 (2028)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0600	LOCATOR® Pilar IC 3,5/4,1 GH4 (2029)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0601	LOCATOR® Pilar IC 3,5/4,1 GH5 (2030)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
3242	LOCATOR® Pilar CC/CC.I 3,5 GH1 (2069)	Ø3,5	Conical	M1,60	0371	30
3243	LOCATOR® Pilar CC/CC.I 3,5 GH2 (2070)	Ø3,5	Conical	M1,60	0371	30

3244	LOCATOR® Pilar CC/CC.I 3,5 GH3 (2071)	Ø3,5	Conical	M1,60	0371	30
3245	LOCATOR® Pilar CC/CC.I 3,5 GH4 (2072)	Ø3,5	Conical	M1,60	0371	30
3246	LOCATOR® Pilar CC/CC.I 3,5 GH5 (2073)	Ø3,5	Conical	M1,60	0371	30
3247	LOCATOR® Pilar CC/CC.I 4,1 GH1 (2075)	Ø4,1	Conical	M2,00	0371	30
3248	LOCATOR® Pilar CC/CC.I 4,1 GH2 (2076)	Ø4,1	Conical	M2,00	0371	30
3249	LOCATOR® Pilar CC/CC.I 4,1 GH3 (2077)	Ø4,1	Conical	M2,00	0371	30
3250	LOCATOR® Pilar CC/CC.I 4,1 GH4 (2078)	Ø4,1	Conical	M2,00	0371	30
3251	LOCATOR® Pilar CC/CC.I 4,1 GH5 (2079)	Ø4,1	Conical	M2,00	0371	30
2225	LOCATOR® Pilar Transep, 4,8 (8909-2)	Transepitelial Ø4,8	Flat	M1,40	0371	30

Locator Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
4957	LOCATOR R-Tx® Pilar EC 3,5 GH1 (32505-01)	Ø3,5	Flat	M1,80	5746	30
4958	LOCATOR R-Tx® Pilar EC 3,5 GH2 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4959	LOCATOR R-Tx® Pilar EC 3,5 GH3 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4960	LOCATOR R-Tx® Pilar EC 3,5 GH4 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4961	LOCATOR R-Tx® Pilar EC 3,5 GH5 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4962	LOCATOR R-Tx® Pilar EC 3,5 GH6 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4963	LOCATOR R-Tx® Pilar EC 4,1 H1,2 (30511-01)	Ø4,1	Flat	M2,00	5746	30
4964	LOCATOR R-Tx® Pilar EC 4,1 GH2 (30511-02)	Ø4,1	Flat	M2,00	5746	30
4965	LOCATOR R-Tx® Pilar EC 4,1 GH3 (30511-03)	Ø4,1	Flat	M2,00	5746	30
4966	LOCATOR R-Tx® Pilar EC 4,1 GH4 (30511-04)	Ø4,1	Flat	M2,00	5746	30
4967	LOCATOR R-Tx® Pilar EC 4,1 GH5 (30511-05)	Ø4,1	Flat	M2,00	5746	30
4968	LOCATOR R-Tx® Pilar EC 4,1 GH6 (30511-06)	Ø4,1	Flat	M2,00	5746	30
4969	LOCATOR R-Tx® Pilar EC 5,1 H1,2 (30512-01)	Ø5,1	Flat	M2,50	5746	30
4970	LOCATOR R-Tx® Pilar EC 5,1 H2 (30512-02)	Ø5,1	Flat	M2,50	5746	30
4971	LOCATOR R-Tx® Pilar EC 5,1 GH3 (30512-03)	Ø5,1	Flat	M2,50	5746	30
4972	LOCATOR R-Tx® Pilar EC 5,1 GH4 (30512-04)	Ø5,1	Flat	M2,50	5746	30

Analog drivers

Specification chart

Avinent and other brands

Analog driver compatibility table

Driver 7961 M1,40	Analogs
	6322 6820
	6811
	6862
	6865
	6866
	6498
	6499
	6548

Driver 7962 M1,60	Analogs	
	6324 6342	6333
	6326	6816
	6328	6863
	6329	6496
	6330	6614
	6331	6615
	6332	7098
	5942	5943

Driver 7964 M2,0	Analogs
	6320 6818 7025 7304
	6325 6343
	6327
	6813
	6814
	6815
	6864
	5944
	5945

Driver 7963 M1,80	Analogs	
	6319	6543
	6323 7099	6544
	6334 6337 6340	6545
	6335	6546
	6336	6547
	6338 6341	6600
	6339	6616
	6812	7100
	6817	7101
	6878	

Driver 7965 M2,5	Analogs
	6321 6819





Carretera de Navarcles, 107
Pol. Industrial Santa Anna I
08251 Santpedor (Barcelona) - España
T. (+34) 93 827 34 65
www.avinent.com - avinent@avinent.com



Management
System
ISO 13485:2016
www.tuv.com

